

CONSTRUCTION DOCUMENTS PROJECT MANUAL

DANE COUNTY DEPARTMENT OF PUBLIC WORKS, HIGHWAY AND TRANSPORTATION

PUBLIC WORKS ENGINEERING DIVISION 1919 ALLIANT ENERGY CENTER WAY MADISON, WISCONSIN 53713

REQUEST FOR BIDS NO. 311010 STAIRWELL DOORS HARDWARE UPGRADE CITY-COUNTY BUILDING 210 MARTIN LUTHER KING JR. BLVD. MADISON, WISCONSIN

Due Date / Time: THURSDAY, JUNE 9, 2011 / 2:00 P.M. Location: PUBLIC WORKS OFFICE

Performance / Payment Bond: 100% OF CONTRACT AMOUNT Bid Deposit: 5% OF BID AMOUNT

FOR INFORMATION ON THIS REQUEST FOR BIDS, PLEASE CONTACT:

ROB NEBEL, PROJECT ENGINEER TELEPHONE NO.: 608-575-0890 FAX NO.: 608-267-1533

E-MAIL: NEBEL@COUNTYOFDANE.COM

DOCUMENT INDEX FOR RFB NO. 311010

PROCUREMENT AND CONTRACTING REQUIREMENTS

Project Manual Cover Page

Documents Index and Dane County Vendor Registration Program

Invitation to Bid (Legal Notice)

Instructions to Bidders

Bid Form

Fair Labor Practices Certification

Best Value Contracting Application

Sample Public Works Contract

Sample Bid Bond

Sample Performance Bond

Sample Payment Bond

Conditions of Contract

Supplementary Conditions

DIVISION 1 - GENERAL REQUIREMENTS

01000 – Basic Requirements

01058 – Recycling

DIVISION 8 - DOORS AND WINDOWS

08710 – Door Hardware

DIVISION 16 - ELECTRICAL

16001 – General Electrical Requirements

16711 – Exit Door Controls

DRAWINGS

A2.GA – Garage Floor Plan

A2.0 – Ground Floor plan

 $A2.1 - 1^{st}$ Floor Plan

 $A2.2 - 2^{nd}$ Floor Plan $A2.3 - 3^{rd}$ Floor Plan

A2.4 – 4th Floor Plan

A2.5 – 5th Floor Plan

RFB No. 311010 rev. 06/09

LEGAL NOTICE

INVITATION TO BID

Dane County Public Works, Highway & Transportation Dept., 1919 Alliant Energy Center Way, Madison, WI 53713, will receive sealed Bids until:

2:00 P.M., THURSDAY, JUNE 9, 2011 REQUEST FOR BIDS NO. 311010 STAIRWELL DOORS HARDWARE UPGRADE

CITY-COUNTY BUILDING 210 MARTIN LUTHER KING, JR. BLVD. MADISON, WISCONSIN

Furnish, install and wire all equipment required for installation of complete system for releasing exit doors. Include power supplies, outlet boxes, cables and wiring.

Request for Bids package may be obtained at Dane County Public Works, Highway & Transportation Dept., 1919 Alliant Energy Center Way, Madison, WI 53713, by calling 608-266-4018, or downloading it from www.danepurchasing.com/rfps.aspx. Please call Rob Nebel, Project Manager, at 608-575-0890, for any questions or additional information.

Pre-bid meeting is scheduled for Thursday, June 2, 2011 at 1:00 P.M., Room 357, City-County Building. Attendance is strongly encouraged.

All Bidders must be a registered vendor with Dane County and pay an annual registration fee before bid opening date and time listed above. Complete Vendor Registration Form at www.danepurchasing.com or obtain one by calling 608-266-4131.

PUBLISH: MAY 26 & JUNE 2, 2011 – WISCONSIN STATE JOURNAL

MAY 26 & JUNE 2, 2011 – THE DAILY REPORTER

INSTRUCTIONS TO BIDDERS

Stairwell Doors Hardware Upgrade City-County Building 210 Martin Luther King Jr. Blvd Madison, Wisconsin

1. SECURING DOCUMENTS

A. Construction Documents may be obtained at:

Dane County Department of Public Works, Highway & Transportation 1919 Alliant Energy Center Way, Madison, Wisconsin 53713 608/266-4018

or at:

www.countyofdane.com/pwht/bid

B. If Construction Documents are obtained from the Dane County web site, Bidder is responsible to check back regularly at the web site for Addenda.

2. BID REQUIREMENTS

- A. Bidder shall submit lump sum bid for providing all labor, equipment, tools and materials necessary to perform all Work described in Construction Documents. Only firms with capabilities, experience and expertise with similar projects should submit Bids.
- B. Envelope containing Bid shall be clearly marked as for this project (note title at top of page). Bids shall be delivered to:

Dane County Department of Public Works, Highway & Transportation 1919 Alliant Energy Center Way Madison, Wisconsin 53713

- C. One (1) Bid Form shall be submitted with your Bid. Bid Form is provided with Construction Documents; no other form or letter shall be accepted.
- D. Bidders shall not add any conditions, escalator clauses of qualifying statements to Bid Form.
- E. Erasures or other changes to Bid must be explained or noted, and shall be accompanied by initials of bidder.
- F. Legally authorized official of bidder's organization shall sign Bids.
- G. Bidder's organization shall submit completed Fair Labor Practices Certification form, included in these Construction Documents.
- H. Bid Bond shall be made payable to Dane County in amount of five percent (5%) of bid amount. Bid Bond shall be either certified check or bid bond issued by surety licensed to conduct business in the State of Wisconsin. Successful bidder's Bid Bond shall be retained until Contract is signed and required Performance / Payment Bond is submitted. Bids shall be binding on bidder for sixty (60) days after Bid Due Date. Bid Bond must be submitted with Bid.

I. Successful bidder shall furnish and pay for Performance / Payment Bond as called for in Conditions of Contract.

3. INQUIRIES

A. Written inquiries regarding intent of Construction Documents should be directed to:

Rob Nebel, Project Engineer

Dane County Department of Public Works, Highway & Transportation 1919 Alliant Energy Center Way, Madison, Wisconsin 53713

Fax: 608/267-1533

Email: nebel@countyofdane.com

- B. Bidders shall bring questions, discrepancies, omissions, conflicts or doubt as to meaning of any part of Construction Documents to attention of Department of Public Works, Highway & Transportation at least ten (10) days before due date for Bids. Prompt clarification of intent of Construction Documents shall be made available to bidders in form of Addendum. Bidder shall acknowledge all Addenda on Bid Form.
- C. Failure to request clarification of interpretation of Construction Documents shall not relieve bidders of their responsibilities to perform Work.

4. EXAMINATION OF SITE

- A. Coordinate site access activities with Project Engineer, Rob Nebel, 608/575-0890
- B. A bidders facility tour will be held on Thursday, June 2, 2011 at 1:00 P.M., Room 357, City-County Building. Attendance is strongly encouraged.

5. ALTERNATES

A. Not used.

6. WITHDRAWAL OF BIDS

A. Any bidder may withdraw their Bid any time prior to Bid Due Date. Withdrawn Bids shall be returned unopened.

7. BID DUE DATE

A. See Legal Notice (advertisement).

8. COMMENCEMENT AND COMPLETION OF WORK

- A. Work shall commence by July 11, 2011.
- B. Work shall be completed by August 31, 2011.

9. RESERVATION

A. Dane County reserves the right to reject any or all Bids, to waive any informalities in the Bid, and to accept any Bid which shall be in the best interest of Dane County.

Name of Bidding Firm

BID FORM

BID NO. 311010

PROJECT: STAIRWELL DOORS HARDWARE UPGRADE

CITY-COUNTY BUILDING

TO: DANE COUNTY DEPARTMENT OF PUBLIC WORKS, HIGHWAY &

TRANSPORTATION PROJECT ENGINEER 1919 ALLIANT ENERGY CENTER WAY

MADISON, WISCONSIN 53713

BASE BID - LUMP SUM:

Furnish, install and wire all equipment required for installation of complete system for releasing exit doors. The undersigned, having examined the site where the Work is to be executed and having become familiar with local conditions affecting the cost of the Work and having carefully examined the Drawings and Specifications, all other Construction Documents and Addenda thereto prepared by Dane County Department of Public Works, Highway & Transportation hereby agrees to provide all labor, materials, equipment and services necessary for the complete and satisfactory execution of the entire Work, as specified in the Construction Documents, for the Base Bid stipulated sum of:

		and	_/100	Dollars
Written Price				
\$ Numeric Price				
Receipt of the following addenda and inclusion of acknowledged:	their provision	s in this Bid is hereby		
Addendum No(s) through		-		
Dated		-		
Dane County Department of Public Works must h Assuming this Work can be started by July 11, 20 this job?				:
Commencement Date:	Completion (final, not substan	Date:		
I hereby certify that all statements herein are made	e on behalf of:			

RFB No. 311010 BF - 1 ver. 07/09

(Name of Corporation, Partnership or Person submitting Bid)

Select one of the following: 1. A corporation organized and existing under the law	ws of the State of, or
2. A partnership consisting of	, or
3. A person conducting business as	;
Of the City, Village, or Town of	of the State of
I have examined and carefully prepared this Bid from have checked the same in detail before submitting this statements and submit this Bid in (its) (their) (my) be and correct. In signing this Bid, we also certify that entered into any agreement or participated in any col restraint of free competition; that no attempt has been submit or not to submit a Bid; that this Bid has been with any other bidder, competitor, or potential compedisclosed prior to the opening of Bids to another bidd accurate under penalty of perjury.	is Bid; that I have full authority to make such chalf; and that the said statements are true we have not, either directly or indirectly, lusion or otherwise taken any action in a made to induce any other person or firm to independently arrived at without collusion etitor; that this Bid has not been knowingly
SIGNATURE:	vithout signature)
Print Name:	
Title:	
Address:	
Telephone No.:	Fax No.:
Email Address:	
Contact Person:	

THIS PAGE IS FOR BIDDERS' REFERENCE AND NEED NOT BE SUBMITTED WITH BID FORM.

BID CHECK LIST:		
These items must be included with	Bid:	
☐ Bid Form	☐ Bid Bond	☐ Fair Labor Practices Certification

BIDDERS SHOULD BE AWARE OF THE FOLLOWING:

DANE COUNTY VENDOR REGISTRATION PROGRAM

Any person bidding on any County contract must be registered with the Dane County Purchasing Division & pay an annual registration fee. A contract will not be awarded to an unregistered vendor. Obtain a *Vendor Registration Form* by calling 608/266-4131 or complete a new form or renewal one online at:

www.danepurchasing.com/registration

DANE COUNTY BEST VALUE CONTRACTING PRE-QUALIFICATION

Contractors must be pre-qualified as a Best Value Contractor with the Dane County Public Works Engineering Division before the award of contract. Obtain a *Best Value Contracting Application* by calling 608/266-4018 or complete one online at:

www.co.dane.wi.us/pwht/BVC_Application.aspx

EQUAL BENEFITS REQUIREMENT

By submitting a Bid, the contractor acknowledges that a condition of this contract is to provide equal benefits as required by Dane County Code of Ordinances Chapter 25.016. Contractor shall provide equal benefits as required by that Ordinance to all required employees during the term of the contract. For more information:

www.danepurchasing.com/partner benefit.aspx

FAIR LABOR PRACTICES CERTIFICATION

The undersigned, for and on behalf of the BIDDER, APPLICANT or PROPOSER named herein, certifies as follows:

A. That he or she is an officer or duly authorized agent of the above-referenced BIDDER,

	APPLICANT or PROPOSER, which has a submitted a propose contract with the county of Dane.	al, bid or application for a
В.	That BIDDER, APPLICANT or PROPOSER has (check one):	
	not been found by the National Labor Relations Board Employment Relations Commission ("WERC") to have violate regarding labor standards or relations in the seven years prior to Certification.	ed any statute or regulation
	been found by the National Labor Relations Board ("Remployment Relations Commission ("WERC") to have violate regarding labor standards or relations in the seven years prior to Certification.	ed any statute or regulation
Offic	icer or Authorized Agent Signature	Date
Print	nted or Typed Name and Title	

NOTE: You can find information regarding the violations described above at: www.nlrb.gov and werc.wi.gov.

For reference, Dane County Ordinance 25.11(28)(a) is as follows:

Printed or Typed Business Name

(28) BIDDER RESPONSIBILITY. (a) Any bid, application or proposal for any contract with the county, including public works contracts regulated under chapter 40, shall include a certification indicating whether the bidder has been found by the National Labor Relations Board (NLRB) or the Wisconsin Employment Relations Committee (WERC) to have violated any statute or regulation regarding labor standards or relations within the last seven years. The purchasing manager shall investigate any such finding and make a recommendation to the committee, which shall determine whether the conduct resulting in the finding affects the bidder's responsibility to perform the contract.

If you indicated that the NLRB or WERC have found you to have such a violation, you must include copies of any relevant information regarding such violation with your proposal, bid or application.



DANE COUNTY DEPARTMENT of PUBLIC WORKS, HIGHWAY and TRANSPORTATION

1919 Alliant Energy Center Way • Madison, Wisconsin 53713 Phone: (608) 266-4018 • FAX: (608) 267-1533

Commissioner / Director Gerald J. Mandli

BEST VALUE CONTRACTING APPLICATION

CONTRACTORS / LICENSURE APPLICANTS

The Dane County Department of Public Works requires all contractors to be pre-qualified as a best value contractor with the County prior to being awarded a contract. In addition, the County pre-qualifies potential contractors and sub-contractors who wish to work on County contracts. Subcontractors must become pre-qualified ten (10) days prior to commencing work under any Dane County Public Works Contract. Potential subcontractors are urged to become pre-qualified as early as possible. This document shall be completed, properly executed, along with the necessary attachments and additional information that the County requires for the protection and welfare of the public in the performance of a County contract.

Contractors or subcontractors of any tier who attain prequalification status will retain that status for a period of two (2) years from the date of qualification. Contractors shall notify the Dane County Department of Public Works, Highway & Transportation within 15 days of any changes to its business or operations that are relevant to the prequalification application. Failure to do so could result in suspension, revocation of the contractor's prequalification, debarment from County contracts for up to three years and / or other sanctions available under the law.

No contracts will be awarded for construction work performed on Dane County projects unless the contractor is currently approved as a Wisconsin Trade Trainer or has applied for approval as an Apprenticeship Trade Trainer to the Wisconsin Department of Workforce Development and agrees to an acceptable apprenticeship program. If you are not currently approved as a Wisconsin Trade Trainer, or have not applied for approval as an Apprenticeship Trade Trainer, please contact the Department of Workforce Development - Bureau of Apprenticeship Standards at 608/266-3133 or visit their web site at: dwd.wisconsin.gov/apprenticeship/.

EXEMPTIONS

- Contractors or subcontractors of any tier attain prequalification status with Dane County if the contractor has current Executive Order 108 precertification status with the State of Wisconsin.
- Contractors who employ less than five (5) apprenticeable trade workers are not required to prequalify.
- Contractors performing work that does not apply to an apprenticeable trade, as outlined in Appendix A.
- The contractor / subcontractor provides sufficient documentation to demonstrate one or more of the following:
 - o apprentices are not available in a specific geographic area;
 - o the applicable apprenticeship program is unsuitable or unavailable; or
 - o there is a documented depression of the local construction market which prevents compliance.

BVCA - 1 ver. 04/09

SEC.	PROOF OF RESPONSIBILITY	CHECK IF APPLICABLE
1	Does your firm possesses all technical qualifications and resources,	Yes: No:
	including equipment, personnel and financial resources, necessary to	
	perform the work required for any project or obtain the same through	
	the use of responsible, prequalified subcontractors?	
2	Will your firm possess all valid, effective licenses, registrations or	Yes: No:
	certificates required by federal, state, county, or local law, which are	
	necessary for the type of work to be performed including, but not	
	limited to, those for any type of trade work or specialty work?	
3	Will your firm meet all bonding requirements as required by applicable	Yes: No:
	law or contract specifications?	
4	Will your firm meet all insurance requirements as required by	Yes: No:
	applicable law or specifications, including general liability insurance,	
	workers compensation insurance and unemployment insurance	
	requirements?	
5	Will your firm maintain a substance abuse policy for employees hired	Yes: No:
	for public works contracts that comply with Wis. Stats. Sec. 103.503?	X D N D
6	Does your firm acknowledge that it must pay all craft employees on	Yes: No:
	public works projects the wage rates and benefits required under	
7	Section 66.0903 of the Wisconsin Statutes?	V
/	Will your firm fully abide by the equal opportunity and affirmative	Yes: No:
	action requirements of all applicable laws, including County ordinances?	
8	In the past three (3) years, has your firm had control or has another	Yes: No: N
0	corporation, partnership or other business entity operating in the	If Yes, attach details.
	construction industry controlled it? If so, please attach a statement	ii Tes, attacii detaiis.
	explaining the nature of the firm relationship?	
9	In the past three (3) years, has your firm had any type of business,	Yes: No: N
	contracting or trade license, certification or registration revoked or	If Yes, attach details.
	suspended?	ii res, attacii detaiis.
10	In the past three (3) years, has your firm been debarred by any federal,	Yes: No:
	state or local government agency?	If Yes, attach details.
11	In the past three (3) years, has your firm defaulted or failed to complete	Yes: No: No:
	any contract?	If Yes, attach details.
12	In the past three (3) years, has your firm committed a willful violation	Yes: No:
	of federal, state or local government safety laws as determined by a	If Yes, attach details.
	final decision of a court or government agency authority.	
13	In the past three (3) years, has your firm been in violation of any law	Yes: No: No:
	relating to your contracting business where the penalty for such	If Yes, attach details.
	violation resulted in the imposition of a penalty greater than \$10,000?	
14	Is your firm Executive Order 108 precertified with the State of	Yes: No:
	Wisconsin?	
15	Is your firm an active Wisconsin Trade Trainer as determined by the	Yes: No:
	Wisconsin Bureau of Apprenticeship Standards and listed at:	
	dwd.wisconsin.gov/apprenticeship/executive_order108.htm?	
16	Is your firm exempt from being prequalified with Dane County?	Yes: No:
		If Yes, attach reason for
		exemption.
17	Does your firm acknowledge that in doing work under any County	Yes: No:
	Public Works Contract, it will be required to use as subcontractors only	
	those contractors that are also prequalified with the County or become	
	so ten days prior to commencing work?	

BVCA - 2 ver. 04/09

SIGNATURE SECTION

Your firm's Officer, or the individual who would sign a bid and / or contract documents must sign this document.

I do hereby certify that all statements herein knowledge:	contained are true and correct to the best of my
Signature	Date
Printed or Typed Name and Title	
NAME AND ADI	DRESS OF CONTRACTOR
Name of Firm:	SALEDD OF CO. TAME OF CO.
Address:	
City, State, Zip:	
Telephone Number:	
Fax Number:	
E-mail Address:	

REMEMBER!

Return all to forms and attachments, or questions to:

CALEB BARTH

EMAIL: BARTH.CALEB@CO.DANE.WI.US

OFFICE: (608)266-4592, CELL: (608)219-2917, FAX: (608)267-1533

DANE COUNTY DEPARTMENT OF PUBLIC WORKS, HIGHWAY & TRANSPORTATION 1919 ALLIANT ENERGY CENTER WAY MADISON, WI 53713

BVCA - 3 ver. 04/09

APPENDIX A

APPRENTICEABLE TRADES

Bricklayer

Carpenter

Cement Mason (Concrete Finisher)

Cement Mason (Heavy Highway)

Construction Craft Laborer

Data Communications Installer

Electrician

Elevator Mechanic / Technician

Environmental Systems Technician / HVAC Service Technician / HVAC Install & Service

Glazier

Heavy Equipment Operator / Operating Engineer

Insulation Worker (Heat & Frost)

Iron Worker (Assembler, Metal Buildings)

Painter / Decorator

Plasterer

Plumber

Roofer / Waterproofer

Sheet Metal Worker

Sprinkler Fitter

Steamfitter (Service & Refrigeration)

Taper & Finisher

Telecommunications (Voice, Data & Video) Installer / Technician

Tile Setter

BVCA - 4 ver. 04/09

COUNTY OF DANE

PUBLIC WORKS CONTRACT

Contract No. ______ Bid No. 311010

Authority: Res.				
THIS CONTRACT, made both parties have affixed the to as "COUNTY") and and		between the County		ferred
	WITNES	SSETH:		
WHEREAS, COUNTY, who Energy Center Way, Madiso wire all equipment required Stairwell Doors Hardware U	on, WI 53713, desires for installation of con	to have CONTRAC nplete system for rele	TOR furnish, install	and
whereas, contractor in accordance with the Conson Now, Therefore, in constitution in the conson of t	struction Documents; consideration of the ab the receipt and suffici	is able and willi		of the
1. CONTRACTOR agrees CONTRACTOR'S own proequipment, tools, superinter to complete the Project in ac Conditions of Contract, the printed or written explanato Dorschner Associates, Inc. (enumerated in the Project M collectively evidence and collectively	per cost and expense idence labor, insurance coordance with the condrawings which inclu- ry matter thereof, and thereinafter referred to Ianual Document Inde	to furnish all materia ce, and other accessor nditions and prices state all maps, plats, plats, plats, plats as "the specifications the coas "the Architect / I ex, all of which are materials."	ries and services nece tated in the Bid Form ans, and other drawin erefore as prepared b Engineer"), and as	ery, essary n, ngs and Dy
2. COUNTY agrees to pay Contract subject to addition make payments on account the Conditions of Contract.	s and deductions, as p	provided in the Condi	tions of Contract, and	d to
3. During the term of this C equal employment opportun				

Statute 111.321 and Chapter 19 of the Dane County Code of Ordinances not to discriminate on

orientation, national origin, cultural differences, ancestry, physical appearance, arrest record or conviction record, military participation or membership in the national guard, state defense force or any other reserve component of the military forces of the United States, or political beliefs.

the basis of age, race, ethnicity, religion, color, gender, disability, marital status, sexual

Such equal opportunity shall include, but not be limited to, the following: employment, upgrading, demotion, transfer, recruitment, advertising, layoff, termination, training, rates of pay, and any other form of compensation. CONTRACTOR agrees to post in conspicuous places, available to all employees and applicants for employment, notices setting forth the provisions of this paragraph.

- **4.** CONTRACTOR shall file an Affirmative Action Plan with the Dane County Contract Compliance Officer in accord with Chapter 19 of the Dane County Code of Ordinances. CONTRACTOR must file such plan within fifteen (15) days of the effective date of this Contract. During the term of this Contract CONTRACTOR shall also provide copies of all announcements of employment opportunities to COUNTY'S Contract Compliance Office, and shall report annually the number of persons, by race, ethnicity, gender, and disability status, which apply for employment and, similarly classified, the number hired and number rejected.
- **5.** During the term of this Contract, all solicitations for employment placed on CONTRACTOR'S behalf shall include a statement to the effect that CONTRACTOR is an "Equal Opportunity Employer."
- **6.** CONTRACTOR agrees to comply with provisions of Chapter 25.016 of the Dane County Code of Ordinances, which pertains to domestic partnership benefits.
- 7. CONTRACTOR agrees to furnish all information and reports required by COUNTY'S Contract Compliance Officer as the same relate to affirmative action and nondiscrimination, which may include any books, records, or accounts deemed appropriate to determine compliance with Chapter 19, Dane County Code of Ordinances, and the provisions of this Contract.
- 8. CONTRACTOR agrees that all persons employed by CONTRACTOR or any subcontractor shall be paid no less than the minimum wage established under Chapter 40, Subchapter II, Dane County Code of Ordinances. CONTRACTOR agrees to abide by and comply with the provisions of Chapter 40, Subchapter II of the Dane County Code of Ordinances, and said Subchapter is fully incorporated herein by reference.
- **9.** This Contract is intended to be a Contract solely between the parties hereto and for their benefit only. No part of this Contract shall be construed to add to, supplement, amend, abridge or repeal existing rights, benefits or privileges of any third party or parties including, but not limited to, employees of either of the parties.
- 10. The entire agreement of the parties is contained herein and this Contract supersedes any and all oral agreements and negotiations between the parties relating to the subject matter hereof. The parties expressly agree that the express terms of this Contract shall not be amended in any fashion except in writing, executed by both parties.
- **11.** CONTRACTOR must be pre-qualified as a Best Value Contractor with Dane County Public Works Engineering Division before award of Contract. Subcontractors must be pre-qualified ten (10) days prior to commencing Work under this Contract.

IN WITNESS WHEREOF, COUNTY and CONTRACTOR, by their respective authorized agents, have caused this Contract and its Schedules to be executed, effective as of the date by which all parties hereto have affixed their respective signatures, as indicated below.

* * * * * * *

FOR CONTRACTOR:

TOR CONTRACT	IOK.
Signature	Date
Printed or Typed Name and Title	
Frinted of Typed Name and Title	
Signature	Date
Signature	Date
Printed or Typed Name and Title	
NOTE: If CONTRACTOR is a corporation, Secretary's	should attest. In accordance with IRS
Regulations, unincorporated entities are required to provi	vide either their Social Security or
Employer Number in order to receive payment for servi	ices rendered.
\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
This Contract is not valid or effectual for any purpose u	
designated below, and no work is authorized until the C	
proceed by COUNTY'S Associate Public Works Direct	.01.
FOR COUNTY	Y:
Joseph T. Parisi, County Executive	Date
Joseph 1.1 and, County Executive	Date

THE AMERICAN INSTITUTE OF ARCHITECTS



AIA Document A310

Bid Bond

Bond No.

ATTORNEY-IN-FACT

2.	a Dona	В	ond 110.
KNOW ALL MEN BY THESE PRESENTS, that		ert full name and address o	r legal title of Contractor)
as Principal, hereinafter called the Principal, and	(Here	insert full name and addre	ess or legal title of Surety
a corporation duly organized under the laws of the held and firmly bound unto		Surety, hereinafter c	
as Obligee, hereinafter called Obligee, in the sum	of () Po	ercent of total amount bio
		Dollars (\$	Percent of attached bid)
For the payment of which sum well and truly to ourselves, our heirs, executors, administrators, suppresents. WHEREAS, the Principal has submitted a bid for NOW, THEREFORE, if the Obligee shall accept the bid of the in accordance with the terms of such bid, and give such bond good and sufficient surety for the faithful performance of such the prosecution thereof, or in the event of the failure of the Principal shall pay to the Obligee the difference not to excee larger amount for which the Obligee may in good faith contra obligation shall be null and void, otherwise to remain in full for	Project No.: (Here the Principal and the Forbonds as may be an Contract and for the Principal to enter a different different to the penalty hereofact with another party	insert full name, address, a Principal shall enter into a of specified in the bidding or e prompt payment of labor such Contract and give substween the amount speci-	Contract with the Obligee Contract Documents with and material furnished in ch bond or bonds, if the fified in said bid and such
Signed and sealed this	day of		, 20 .
		(Principal)	(Seal)
(Witness)		(Title)	
		(Surety)	(Seal)
(Witness)			

THE AMERICAN INSTITUTE OF ARCHITECTS



Bond No.

AIA Document A312

Performance Bond

Any singular reference to Contractor, Surel	ty, Owner or other party shall be considered plural where applica	ble.
CONTRACTOR (Name and Address):	SURETY (Name and Principal	Place of Business):
OWNER (Name and Address):		
CÓNSTRUCTION CONTRACT Date: Amount: \$ Description (Name and Location):		
BOND Date (Not earlier than Construction Contract Damount: \$	ate):	
Modifications to this Bond:	[] None	[] See Page 3
CONTRACTOR AS PRINCIPAL COMPANY: (Corporate Seal)	SURETY COMPANY:	(Corporate Seal)
Signature: Name and Title:	Signature: Name and Title:	Attorney-in-Fact
(Any additional signatures appear on page 3)		Attorney in act
FOR INFORMATION ONLY-Name, Address and TAGENT OR BROKER:	Telephone OWNER'S REPRESENTA	TIVE (Architect,

- 1. The Contractor and the Surety, jointly and severally, bind themselves, their heirs, executors, administrators, successors, and assigns to the Owner for the performance of the Construction Contract, which is incorporated herein by reference.
- 2. If the Contractor performs the Construction Contract, the Surety and the Contractor shall have no obligation under this Bond, except to participate in conferences as provided in Subparagraph 3.1.
- **3.** If there is no Owner Default, the Surety's obligation under this Bond shall arise after:
 - 3.1 The Owner has notified the Contractor and the Surety at its address described in Paragraph 10 below that the Owner is considering declaring a Contractor Default and has requested and attempted to arrange a conference with the Contractor and the Surety to be held not later than fifteen days after receipt of such notice to discuss methods of performing the Construction Contract. If the Owner, the Contractor and the Surety agree, the Contractor shall be allowed a reasonable time to perform the Construction Contract, but such an agreement shall not waive the Owner's right, if any, subsequently to declare a Contractor Default; and
 - 3.2 The Owner has declared a Contractor Default and formally terminated the Contractor's right to complete the contract. Such Contractor Default shall not be declared earlier than twenty days after the Contractor and the Surety have received notice as provided in Subparagraph 3.1; and
 - 3.3 The Owner has agreed to pay the Balance of the Contract Price to the Surety in accordance with the terms of the Construction Contract or to a contractor selected to perform the Construction Contract in accordance with the terms of the contract with the Owner.
- **4.** When the Owner has satisfied the conditions of Paragraph 3, the Surety shall promptly and at the Surety's expense take one of the following actions:
 - **4.1** Arrange for the Contractor, with consent of the Owner, to perform and complete the Construction Contract; or
 - **4.2** Undertake to perform and complete the Construction Contract itself, through its agents or through independent contractors; or
 - 4.3 Obtain bids or negotiated proposals from qualified contractors acceptable to the Owner for a contract for performance and completion of the Construction Contract, arrange for a contract to be prepared for execution by the Owner and the contractor selected with the Owner's concurrence, to be secured with performance and payment bonds executed by a qualified surety equivalent to the bonds issued on the Construction Contract, and pay to the Owner the amount of damages as described in Paragraph 6 in excess of the Balance of the Contract Price incurred by the Owner resulting from the Contractor's default;
 - **4.4** Waive its rights to perform and complete, arrange for completion, or obtain a new contractor and with reasonable promptness under the circumstances:
 - 1. After investigation, determine the amount for

- which it may be liable to the Owner and, as soon as practicable after the amount is determined, tender payment therefor to the Owner; or
- **2.** Deny liability in whole or in part and notify the Owner citing reasons therefor.
- **5.** If the Surety does not proceed as provided in Paragraph 4 with reasonable promptness, the Surety shall be deemed to be in default on this Bond fifteen days after receipt of an additional written notice from the Owner to the Surety demanding that the Surety perform its obligations under this Bond, and the Owner shall be entitled to enforce any remedy available to the Owner. If the Surety proceeds as provided in Subparagraph 4.4, and the Owner refuses the payment tendered or the Surety has denied liability, in whole or in part, without further notice the Owner shall be entitled to enforce any remedy available to the Owner.
- **6.** After the Owner has terminated the Contractor's right to complete the Construction Contract, and if the Surety elects to act under Subparagraph 4.1, 4.2, or 4.3 above, then the responsibilities of the Surety to the Owner shall not be greater than those of the Contractor under the Construction Contract, and the responsibilities of the Owner to the Surety shall not be greater than those of the Owner under the Construction Contract. To the limit of the amount of this Bond, but subject to commitment by the Owner of the Balance of the Contract Price to mitigation of costs and damages on the Construction Contract, the Surety is obligated without duplication for:
 - 6.1 The responsibilities of the Contractor for correction of defective work and completion of the Construction Contract;
 - **6.2** Additional legal, design professional and delay costs resulting from the Contractor's Default, and resulting from the actions or failure to act of the Surety under Paragraph 4; and
 - **6.3** Liquidated damages, or if no liquidated damages are specified in the Construction Contract, actual damages caused by delayed performance or non-performance of the Contractor.
- 7. The Surety shall not be liable to the Owner or others for obligations of the Contractor that are unrelated to the Construction Contract, and the Balance of the Contract Price shall not be reduced or set off on account of any such unrelated obligations. No right of action shall accrue on this Bond to any person or entity other than the Owner or its heirs, executors, administrators, or successors.
- **8.** The Surety hereby waives notice of any change, including changes of time, to the Construction Contract or to related subcontracts, purchase orders and other obligations.
- 9. Any proceeding, legal or equitable, under this Bond may be instituted in any court of competent jurisdiction in the location in which the work or part of the work is located and shall be instituted within two years after Contractor Default or within two years after the Contractor ceased working or within two years after the Surety refuses or fails to perform its obligations under this Bond, whichever occurs first. If the provisions of this Paragraph are void or prohibited by law, the minimum period of limitation available to sureties as a defense in the jurisdiction of the suit shall be applicable.

- **10.** Notice to the Surety, the Owner or the Contractor shall be mailed or delivered to the address shown on the signature page.
- 11. When this Bond has been furnished to comply with a statutory or other legal requirement in the location where the construction was to be performed, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted here from and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. The intent is that this Bond shall be construed as a statutory bond and not as a common law bond.

12 DEFINITIONS

Address:

12.1 Balance of the Contract Price: The total amount payable by the Owner to the Contractor under the Construction Contract after all proper adjustments have been made, including allowance to the Contractor of any amounts received or to be received by the Owner in settlement of insurance or other

claims for damages to which the Contractor is entitled, reduced by all valid and proper payments made to or on behalf of the Contractor under the Construction Contract.

- **12.2** Construction Contract: The agreement between the Owner and the Contractor identified on the signature page, including all Contract Documents and changes thereto.
- **12.3** Contractor Default: Failure of the Contractor, which has neither been remedied nor waived, to perform or otherwise to comply with the terms of the Construction Contract.
- **12.4** Owner Default: Failure of the Owner, which has neither been remedied nor waived, to pay the Contractor as required by the Construction Contract or to perform and complete or comply with the other terms thereof.

MODIFICATIONS TO THIS BOND ARE AS FOLLOWS:

|--|--|

CONTRACTOR AS P	RINCIPAL	SURETY	
Company:	(Corporate Seal)	Company:	(Corporate Seal)
Signature:		Signature:	
Name and Title:		Name and Title:	

Address:

(Space is provided below for additional signatures of added parties, other than those appearing on the cover page.)

THE AMERICAN INSTITUTE OF ARCHITECTS



Bond No.

AIA Document A312

Payment Bond

one Li Coo Dogo
SURETY COMPANY: (Corporate Seal)
Signature:Name and Title:Attorney-in-Fa

- 1. The Contractor and the Surety, jointly and severally, bind themselves, their heirs, executors, administrators, successors, and assigns to the Owner to pay for labor, materials and equipment furnished for use in the performance of the Construction Contract, which is incorporated herein by reference.
- 2. With respect to the Owner, this obligation shall be null and void if the Contractor:
 - **2.1** Promptly makes payment, directly, or indirectly, for all sums due Claimants, and
 - 2.2 Defends, indemnifies and holds harmless the Owner from claims, demands, liens or suits by any person or entity whose claim, demand, lien or suit is for the payment for labor, materials, or equipment furnished for use in the performance of the Construction Contract, provided the Owner has promptly notified the Contractor and the Surety (at the address described in Paragraph 12) of any claims, demands, liens, or suits and tendered defense of such claims, demands, liens or suits to the Contractor and the Surety, and provided there is no Owner Default.
- **3.** With respect to Claimants, this obligation shall be null and void if the Contractor promptly makes payment, directly or indirectly, for all sums due.
- **4.** The Surety shall have no obligation to Claimants under this Bond until:
 - 4.1 Claimants who are employed by or have a direct contract with the Contractor have given notice to the Surety (at the address described in Paragraph 12) and sent a copy, or notice thereof, to the Owner, stating that a claim is being made under this Bond and, with substantial accuracy, the amount of the claim.
 - **4.2** Claimants who do not have a direct contract with the Contractor:
 - 1. Have furnished written notice to the Contractor and sent a copy, or notice thereof, to the Owner, within 90 days after having last performed labor or last furnished materials or equipment included in the claim stating, with substantial accuracy, the amount of the claim and the name of the party to whom the materials were furnished or supplied or for whom the labor was done or performed; and
 - 2. Have either received a rejection in whole or in part from the Contractor, or not received within 30 days of furnishing the above notice any communication from the Contractor by which the Contractor has indicated the claim will be paid directly or indirectly; and
 - 3. Not having been paid within the above 30 days, have sent a written notice to the Surety (at the address described in Paragraph 12) and sent a copy, or notice thereof, to the Owner, stating that a claim is being made under this Bond and enclosing a copy of the previous written notice furnished to the Contractor.
- **5.** If a notice required by Paragraph 4 is given by the Owner to the Contractor or to the Surety, that is sufficient compliance.
- **6.** When the Claimant has satisfied the conditions of Paragraph 4, the Surety shall promptly and at the Surety's expense take the following actions:

- **6.1** Send an answer to the Claimant, with a copy to the Owner, within 45 days after receipt of the claim, stating the amounts that are undisputed and the basis for challenging any amounts that are disputed.
- **6.2** Pay or arrange for payment of any undisputed amounts.
- 7. The Surety's total obligation shall not exceed the amount of this Bond, and the amount of this Bond shall be credited for any payments made in good faith by the Surety.
- 8. Amounts owed by the Owner to the Contractor under the Construction Contract shall be used for the performance of the Construction Contract and to satisfy claims, if any, under any Construction Performance Bond. By the Contractor furnishing and the Owner accepting this Bond, they agree that all funds earned by the Contractor in the performance of the Construction Contract are dedicated to satisfy obligations of the Contractor and the Surety under this Bond, subject to the Owner's priority to use the funds for the completion of the work.
- 9. The Surety shall not be liable to the Owner, Claimants or others for obligations of the Contractor that are unrelated to the Construction Contract. The Owner shall not be liable for payment of any costs or expenses of any Claimant under this Bond, and shall have under this Bond no obligations to make payments to, give notices on behalf of, or otherwise have obligations to Claimants under this Bond.
- 10. The Surety hereby waives notice of any change, including changes of time, to the Construction Contract or to related subcontracts, purchase orders and other obligations.
- 11. No suit or action shall be commenced by a Claimant under this Bond other than in a court of competent jurisdiction in the location in which the work or part of the work is located or after the expiration of one year from the date (1) on which the Claimant gave the notice required by Subparagraph 4.1 or Clause 4.2.3, or (2) on which the last labor or service was performed by anyone or the last materials or equipment were furnished by anyone under the Construction Contract, whichever of (1) or (2) first occurs. If the provisions of this Paragraph are void or prohibited by law, the minimum period of limitation available to sureties as a defense in the jurisdiction of the suit shall be applicable.
- 12. Notice to the Surety, the Owner or the Contractor shall be mailed or delivered to the address shown on the signature page. Actual receipt of notice by Surety, the Owner or the Contractor, however accomplished, shall be sufficient compliance as of the date received at the address shown on the signature page.
- 13. When this Bond has been furnished to comply with a statutory or other legal requirement in the location where the construction was to be performed, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted herefrom and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. The intent is that this Bond shall be construed as a statutory bond and not as a common law bond.
- **14.** Upon request by any person or entity appearing to be a potential beneficiary of this Bond, the Contractor

shall promptly furnish a copy of this Bond or shall permit a copy to be made.

15. DEFINITIONS

Signature:

Address:

Name and Title:

15.1 Claimant: An individual or entity having a direct contract with the Contractor or with a subcontractor of the Contractor to furnish labor, materials or equipment for use in the performance of the Contract. The intent of this Bond shall be to include without limitation in the terms "labor, materials or equipment" that part of water, gas, power, light, heat, oil, gasoline, telephone service or rental equipment used in the Construction Contract, architectural and engineering services required for performance of the work of the Contractor and the Contractor's

subcontractors, and all other items for which a mechanic's lien may be asserted in the jurisdiction where the labor, materials or equipment were furnished.

- **15.2** Construction Contract: The agreement between the Owner and the Contractor identified on the signature page, including all Contract Documents and changes thereto.
- **15.3** Owner Default: Failure of the Owner, which has neither been remedied nor waived, to pay the Contractor as required by the Construction Contract or to perform and complete or comply with the other terms thereof.

MODIFICATIONS TO THIS BOND ARE AS FOLLOWS:

(Space is provided below for additional signatures of added parties, other than those appearing on the cover page.)				
CONTRACTOR AS PRINCIF Company:	PAL (Corporate Seal)	SURETY Company:	(Corporate Seal)	

Signature:

Address:

Name and Title:

CONDITIONS OF CONTRACT

TABLE OF CONTENTS

1. BIDS AND QUOTATIONS	1
2. GUARANTEE AND BOND	2
3. SHOP DRAWINGS, PRODUCT DATA AND SAMPLES	3
4. AWARDS	4
5. CONTRACT PROVISIONS	5
6. GENERAL GUARANTEE	10
7. IDENTICAL BIDDING	10
8. BINDING CONTRACTS	11
9. AFFIRMATIVE ACTION PROVISION AND MINORITY / WOMEN /	
DISADVANTAGED BUSINESS ENTERPRISES	11
10. COMPLIANCE WITH FAIR LABOR STANDARDS	12
11. DOMESTIC PARTNERSHIP BENEFITS	12
12. INSURANCE REQUIREMENTS	12

1. BIDS AND QUOTATIONS

- A. Addressing of Bids. Bids shall be addressed to the attention of Public Works Engineering Division and received at the Dane County Department of Public Works, Highway & Transportation, 1919 Alliant Energy Center Way, Madison, WI 53713, on or before the local time and date specified herein for the Due Date. Seal all bids in envelopes and clearly mark the front with bid number and a reference to the specified contents of the bid. All uses of the term "County" in the Construction Documents shall mean Dane County.
- B. **Only One Copy Required.** Unless otherwise specified, only one copy of a bid or quotation on prescribed Bid Form will be required.
- C. **Additional Data with Bid.** Bidder may submit, on the firm's letterhead only, additional data and information deemed advantageous to the County. The County shall hold optional the consideration of such data and information.
- D. More than One Bid. Bidders desiring to submit more than one bid may do so provided such additional bid or bids are properly submitted on the Dane County Department of Public Works, Highway & Transportation's Bid Form. Obtain extra sets of Construction Documents from the Dane County Department of Public Works, Highway & Transportation. All uses of the term "Department" in the Construction Documents shall mean the Department of Public Works, Highway & Transportation, which is a unit of Dane County government.
- E. **Withdrawal or Late Bids.** The County will not accept formal bids, amendments thereto, or requests for withdrawal of a bid or any part thereof, after the time of Due Date.
- F. **Preparation and Submission.** All written bids, unless otherwise provided for, must be submitted on and in accordance with forms provided by the County properly signed in ink. Bids not signed by hand are not accepted. Bidders must register in advance with the Purchasing Division.
- G. **Products by Name.** Intention of Specifications of products by name is to be descriptive of quality, workmanship, finish, function and approximate characteristics desired; intention is not necessarily restriction. Consideration of products substitution for those named is possible, provided the substitute offered is, in the opinion of the Dane County Public Works

- Project Engineer, equal or superior in quality, workmanship, finish, function and approximate characteristics to that specified in the Project Manual Specifications listed herein.
- H. **Visitation of Sites.** Bidder shall visit the site(s) that will receive the intended work or installation, and in so doing, be held responsible for a job deemed satisfactory by the County after completion of the Work or installation. No additional compensation shall be allowed for any condition of which bidder could have been informed.
- I. **Completeness.** Supply all information required by Construction Documents to constitute a regular bid. This shall include:
 - 1. Completed Bid Form.
 - 2. Completed Fair Labor Practices Certification.
 - 3. Completed Bid Bond.
- J. **Bids Binding Sixty (60) Days.** Unless otherwise specified all formal bids submitted shall be binding for sixty (60) calendar days following Due Date.
- K. Conditional Bids. Qualified bids are subject to complete rejection, or partial rejection.
- L. **All or Part.** Bids or quotations may be considered and award made for all or any part of total quantities as specified in the Construction Documents.
- M. **Errors.** Unit bid price shall govern when extending total prices has errors. Carelessness in quoting prices or in preparation of bid otherwise, will not relieve the bidder. Explain all erasures in bids and include signature of bidder.
- N. **Regulation by State Statutes.** The bidding and letting of contracts are subject to provisions of Wisconsin Statutes 59.52(29) and 66.0901 and all subsequent sections and amendments thereof.
- O. **Bidders Present.** The Bid Opening is the time fixed for the opening of formal bids. The Bids' contents will be made public for the information of bidders and others properly interested, who may be present either in person or by representative. Bidders are encouraged to attend all openings, and to offer constructive suggestions for improvements to bid format or ways in which County can realize greater savings.
- P. Taxes. Contractor shall pay applicable State and local sales taxes.

2. GUARANTEE AND BOND

A. **Bid Bond / Guarantee.** A Bid Bond shall accompany Bids, which shall be either a flat sum or a percentage figure as shown on the Project Manual Cover. This Bid Bond shall serve as a warrant that the successful bidder will fulfill the terms of the bid within the time limit as indicated in the bid after notice of award by the Dane County. The Bid Bond may be a certified bank check (note: uncertified checks will not be acceptable), a cashier's check or a United State money order payable to the order of the Treasurer of Dane County; or on a Bid Bond with corporate surety authorized to do business in the State of Wisconsin and a warranty of attorney to confess judgment thereon attached thereto. The County will return negotiable Bid Bonds to unsuccessful bidders after awarding of bid. The County shall return a check held from a Contractor after satisfactory completion of the Contract or after receipt

- by the County of a Performance Bond from the Contractor, if one is required. Surety Bid Bonds will not be returned unless specifically requested by individual bidders.
- B. **Guarantor Liability.** When guarantee is required, failure of bidder to furnish an acceptable Performance Bond (Article 2.C.) within twenty (20) days after receipt of notice of award shall render the guarantor liable to the County. Bids covered by certified check or bond such security shall become the absolute property of the County and shall be deposited with the County Treasurer for the benefit of the County as liquidated damages. The County shall forthwith proceed to collect on the Bid Bond.
- C. **Performance / Payment Bond.** When required, file a guarantee that the successful bidder will faithfully perform the obligations of the bid as accepted. Such guarantee must be a bond complying with Wisconsin Statute 779.14 with corporate surety authorized to do business in this State, and that the Contractor or subcontractors will be responsible for all claims for injuries to persons or damages to property or premises arising out of or in connection with their operations prior to the acceptance of the finished work or supplies, and that they will promptly make payments to all persons supplying them with labor or materials in the execution of the Work provided for in the Contract; guarantee to indemnify, hold harmless and defend Dane County, its boards, commissions, agencies, officers, employees and representatives from all costs, damages and expenses growing out of or by reason of the successful bidder's failure to comply and perform the Work and complete the Contract in accordance with the Construction Documents; attach thereto a warrant of attorney authorizing the confession of judgment thereon for the benefit of the County.

3. SHOP DRAWINGS, PRODUCT DATA AND SAMPLES

- A. Shop Drawings are drawings, diagrams, schedules and other data specially prepared for the Work by the Contractor or a subcontractor, sub-subcontractor, manufacturer, supplier or distributor to illustrate some portion of the Work.
- B. Product Data are illustrations, standard schedules, performance charts, instructions, brochures, diagrams and other information furnished by the Contractor to illustrate materials or equipment for some portion of the Work.
- C. Samples are physical examples that illustrate materials, equipment or workmanship and establish standards to compare the Work.
- D. Shop Drawings, Product Data, Samples and similar submittals are not Construction Documents. The purpose of their submittal is to demonstrate for those portions of the Work for which submittals are required the way the Contractor proposes to conform to the information given and the design concept expressed in the Construction Documents.
- E. The Contractor shall review, approve and submit to the Public Works Project Engineer Shop Drawings, Product Data, Samples and similar submittals required by the Construction Documents with reasonable promptness and in such sequence as to cause no delay in the Work or in the activities of the County or of separate contractors. Submittals made by the Contractor not required by the Construction Documents, may be returned without action.
- F. The Contractor shall perform no portion of the Work requiring submittal and review of Shop Drawings, Product Data, Samples or similar submittals until the Public Works Project Engineer has approved the respective submittal. Such Work shall be in accordance with approved submittals.

RFB No. 311010 CC - 3 rev. 01/09

- G. By approving and submitting, Shop Drawings, Product Data, Samples and similar submittals, the Contractor represents that the Contractor has determined and verified materials, field measurements and field construction criteria related thereto, or will do so, and has checked and coordinated the information contained within such submittals with the requirements of the Work and of the Construction Documents.
- H. The Contractor shall not be relieved of responsibility for deviations from requirements of the Construction Documents by the Public Works Project Engineer's approval of Shop Drawings, Product Data, Samples and similar submittals unless the Contractor has specifically informed the Public Works Project Engineer in writing of such deviation at the time of submittal and the Public Works Project Engineer has given written approval to the specific deviation. The Contractor shall not be relieved of responsibility for errors or omissions in Shop Drawings, Product Data, Sample or similar submittals by the Public Works Project Engineer's approval thereof.
- I. The Contractor shall in writing direct specific attention to revised and / or resubmitted Shop Drawings, Product Data, Samples or similar submittals that were not requested by the Architect / Engineer or the Public Works Project Engineer on previous submittals.
- J. Unless specified otherwise, Contractor shall submit three (3) copies of all Shop Drawings, Product Data, Samples or similar submittals for each submission, until receiving final approval. After final approval, provide five (5) additional copies for distribution and such other copies as may be required.

4. AWARDS

- A. **Lowest Responsible Bidder.** Award will be to the lowest responsible bidder conforming to Construction Documents or on the most advantageous bid to the County.
- B. **Other Considerations.** Quantities involved, time of delivery, purpose for which required, competency of bidder, the ability to render satisfactory service and past performance will be considered in determining responsibility.
- C. **Rejection of Bids.** The County reserves the right to reject any or all bids or quotations in whole or in part and to award by items, parts of items, or by any aggregate group of items specified. The County reserves also the right to waive technical defects when in its judgment the best interests of the County thereby will be served.
- D. **Notice of Acceptance.** Sufficient notification of acceptance of bid will be written notice of award to a bidder in the form of a Purchase Order or similar, mailed or delivered to the address shown on the Bid Form.
- E. **Tie Bids.** If two or more bidders submit identical bids, the decision of the County to make award to one or more of such bidders shall be final. Cash discount will be taken into consideration determining an award. Also, see Article 7.A. IDENTICAL BIDDING, Antitrust Laws.
- F. **Qualifying Bidders.** Prior to solicitation and / or awarding of bid, the County may require submission by bidder of complete financial statement and questionnaire describing bidder's financial ability and experience in performance of similar work. Refer to Instructions to Bidders.

- G. **Disqualification.** Awards will not be made to any person, firm or company in default of a Contract with the County, or to any bidder having as its sales agent or representative or as a member of the firm, any individual previously in default or guilty of misrepresentation.
- H. **Bid Results.** Bidders may secure information pertaining to results of bids by visiting the County Purchasing Division Office Monday through Friday, between 7:45 a.m. and 4:30 p.m.

5. CONTRACT PROVISIONS

- A. Acceptance Constitutes Contract. Written acceptance by the Public Works Project Engineer of a proposal for services shall constitute a Contract, which shall bind the bidder to perform the Work as detailed in the Construction Documents, for the bid amount and in accordance with all conditions of said accepted bid. A formal Contract containing all provisions of the Contract signed by both parties shall be used when required by the Public Works Project Engineer.
- B. Local Restrictions and Permits. All work shall be done according to applicable laws, ordinances and codes. The Contractor shall procure and pay for all required permits for permanent or temporary work.
- C. **Payment of Invoices.** Payment may be made only after inspection and acceptance by the using agency and approval by the Dane County Public Works Project Engineer, and, where required by ordinances, approval by the Dane County Board of Supervisors. If materials or equipment were delivered, constructed, erected, installed or tested on site, payment shall be made based on ninety-five percent (95%) of the value of all Work performed up to fifty percent (50%) of scheduled values less the total of previous payments. Authorized extra work will be included in progress payments. Payment of balances will be made only after approval and final acceptance by the County in consideration and elimination of the possibilities of imperfect work, faulty materials or equipment, liens that have been filed, or if evidence indicates the possible filing of claims.
- D. **Contract Alterations.** No alterations or variables in the terms of a contract shall be valid or binding upon the County unless made in writing and signed by the Purchasing Agent or authorized agent.
- E. **Assignments.** No contract may be assigned, sublet or transferred without written consent of the Public Works Project Engineer.
- F. Cancellations. A contract may be canceled or voided by the Public Works Project Engineer upon non-performance or violation of contract provisions, and an award made to the next low bidder or articles specified may be purchased on the open market. In either event, the defaulting contractor (or their surety) shall be liable to Dane County for costs to the County in excess of the defaulting contractor's contract prices.

G. Right of the Department to Terminate Contract.

1. In the event that the Contractor or any subcontractors violate any of the provisions of this Contract, the County may serve written notice upon the Contractor and the Surety of its intention to terminate the Contract. Such notice to contain the reasons for such intention to terminate the Contract, and unless within ten (10) days after the serving of such notice upon the Contractor, such violation or delay shall cease and satisfactory arrangement or correction be made, the Contract shall, upon the expiration of said ten (10) days, cease and terminate.

- 2. In the event of any such termination, the County shall immediately serve notice thereof upon the Surety and the Contractor, and the Surety shall have the right to take over and perform the Contract subject to County's approval. However, if the Surety does not commence performance thereof within ten (10) days from the date of the mailing to such Surety of notice of termination, the County may take over the Work and prosecute the same to completion by Contract or by force account for the account and at the expense of the Contractor. The Contractor and Surety shall be liable to the County for any excess cost occasioned the County thereby, and in such event the County may take possession of and utilize in completing the Work, such equipment, materials and / or supplies as may be on the site of the Work and therefore necessary.
- H. Non-Liability. The Contractor shall not be liable in damages for delay in shipment or failure to deliver when such delay or failure is the result of fire, flood, strike, the transporting carrier, act of God, act of government, act of an alien enemy or by any other circumstances which, in the Public Works Project Engineer's opinion, is beyond the control of the Contractor. Under such circumstances, however, the Public Works Project Engineer may in the discretion, cancel the Contract.
- I. Quality Assurance. Inspection of equipment, materials and / or supplies shall be made by or at the direction of the County or the Agency to which the goods are delivered, and any articles supplied that are defective, or fails in any way to meet Specifications or other requirements of the Contract, will be rejected. The Public Works Project Engineer shall direct all required laboratory tests. The decision of the Public Works Project Engineer on acceptance shall be final.
- J. **Time for Completion.** The Contractor agrees that the Work shall be prosecuted regularly and diligently and complete the entire project as stated in the Construction Documents.

K. Changes in the Work.

- 1. Except in cases of emergency, no changes in the Work covered by the approved Construction Documents shall be made without having prior written approval of the Department. Charges or credits for the work covered by the approved change shall be determined by one of the following methods:
 - a) Unit bid prices previously approved.
 - b) An agreed lump sum based on actual cost of:
 - 1) Labor, including foremen, and all fringe benefits that are associated with their wages;
 - 2) Materials entering permanently into the Work;
 - 3) The ownership or rental cost of construction plant and equipment during the time of use on the extra work;
 - 4) Power and consumable supplies for the operation of construction or power equipment;
 - 5) Workmen's Compensation Insurance, Contractor's Public Liability and Property Damage Insurance, and Comprehensive Automobile Liability Insurance;
 - 6) Social Security, pension and unemployment contributions;
 - 7) To the cost under K.1.b) 2), there shall be added a fixed fee to be agreed upon, but not to exceed fifteen percent (15%) of the actual cost of the Work performed with their own labor force; the fee shall be compensation to cover the cost of supervision, overhead, bond, profit and any other general expense;
 - 8) On that portion of the work under K.1.b) 2) done under subcontract, the Contractor may include not over seven and one-half percent (7½%) for supervision, overhead, bond, profit and any other general expense; and

- 9) The Contractor shall keep and present in such form as directed, a correct amount of the cost together with such supporting vouchers as may be required by the Department.
- c) Cost-Plus Work, with a not-to-exceed dollar limit, based on actual cost of:
 - 1) Labor, including foremen, and all fringe benefits that are associated with their wages;
 - 2) Materials entering permanently into the Work;
 - 3) The ownership or rental cost of construction plant and equipment during the time of use on the extra work. (Rental cost cannot exceed fifty percent (50%) replacement value of rented equipment);
 - 4) Power and consumable supplies for the operation of construction or power equipment;
 - 5) Workmen's Compensation, Contractor's Public Liability and Property Damage Insurance, and Comprehensive Automobile Liability Insurance;
 - 6) Social Security, pension and unemployment contributions;
 - 7) To the cost under K.1.c) 3) there shall be added a fixed fee to be agreed upon, but not to exceed fifteen percent (15%) of the actual cost of the Work performed with their own labor force; the fee shall be compensation to cover the cost of supervision, overhead, bond, profit, and any other general expense;
 - 8) On that portion of the work under K.1.c) 3) done under subcontract, the Contractor may include not over seven and one-half percent (7½%) for supervision, overhead, bond, profit, and any other general expense; and
 - 9) The Contractor shall keep and present in such form as directed, a correct amount of the cost together with such supporting vouchers as may be required by the Department.
- 2. If the Contractor claims that by any instructions given by the Architect / Engineer, the Department, by drawings or otherwise, regarding the performance of the Work or the furnishing of material under the Contract, involves extra cost, the Contractor shall give the Department written notice thereof within two weeks after the receipt of such instructions and in any event before proceeding to execute the work, unless delay in executing the work would endanger life or property.
- 3. No claim for extra work or cost shall be allowed unless the same was done in pursuance of a written order of the Architect / Engineer and approved by the Department, as previously mentioned, and the claim presented with the payment request submitted after the changed or extra work is completed.
- 4. Negotiation of cost for a change in the Work shall not be cause for the Contractor to delay prosecution of the Work if the Contractor has been authorized in writing by the Public Works Project Engineer to proceed.

L. Payments to Contractor.

- 1. The County will make partial payments to the Contractor for the value, proportionate to the amount of the Contract, of all labor and material incorporated in the work during the preceding calendar month upon receipt of approved Application and Certificate of Payment from the Architect / Engineer and approval of the Department.
- 2. The Contractor shall submit to the Architect / Engineer an Application and Certificate of Payment. The Architect / Engineer will review and approve this before sending it to the Public Works Project Engineer. Evidence may be required, and supplied on demand, that supports the request and the Contractor's right to the payment claimed.

- 3. Request for payment for preparatory work and materials delivered and suitably stored at the site to be incorporated into the Work at some future period, will be given due consideration. Requests involving materials stored off the site, may be rejected; however, if deemed essential for reasons of job progress, protection, or other sufficient cause, requests will be considered conditional upon the submission by the Contractor of bills of sale and such other procedures as will adequately protect the County's interest such as storage in a bonded warehouse with adequate coverage. If there is any error in a payment, the Contractor is obligated to notify the Department immediately, but no longer than ten (10) days from receipt of payment.
- 4. Payments by the County will be due within forty-five (45) days after receipt by the Department of a certified request.
- 5. Five percent (5%) of each request for certification will be retained until final completion and acceptance of all the Work covered by the Contract. However, anytime after fifty percent (50%) of the Work has been furnished and installed at the site, the remaining payments will be made in full if the Architect / Engineer and Public Works Project Engineer find that the progress of the Work corresponds with the construction progress schedule. If the Architect / Engineer and Public Works Project Engineer find that the progress of the Work does not correspond with the construction progress schedule, up to ten percent (10%) of each request for payment may be retained for the Work completed.
- 6. All material and work covered by partial payments made shall become the sole property of the County. This provision shall not be construed as relieving the Contractor from the sole responsibility for the care and protection of materials and work upon which payments have been made or the restoration of any damaged work, or as a waiver of the right of the County to require the fulfillment of all of the terms of the Contract.
- 7. Final payment will be made within sixty (60) days after final completion of the Work, and will constitute acceptance thereof.
- 8. On completion and acceptance of each separate division of the Contract, on which the stated price is separated in the Contract, payment may be made in full, including retained percentages thereon, less authorized deductions.
- 9. Every contractor engaged in performance of any contract for Department of Public Works, Highway & Transportation shall submit to this Department, as requested and with final application for payment for work under said contract, affidavit(s) as required to prove that all debts and claims against this Work are paid in full or otherwise satisfied, and give final evidence of release of all liens against the Work and County. If Wisconsin Prevailing Wage Rate Determination is required for this Work, use "Prime Contractor Affidavit of Compliance With Prevailing Wage Rate Determination" and "Agent or Subcontractor Affidavit of Compliance With Prevailing Wage Rate Determination" (if applicable). If Wisconsin Prevailing Wage Rate Determination is not required for this Work, use "Dane County, Wisconsin Contractor Wage Affidavit". Forms of such affidavits are included in Supplementary Conditions.

M. Withholding of Payments.

1. The County, after having served written notice on the said Contractor, may either pay directly any unpaid bills of which the Department has written notice, or withhold from the Contractor's unpaid compensation a sum of money deemed reasonably sufficient to pay any and all such lawful claims until satisfactory evidence is furnished that all liabilities have been fully discharged. Then payment to the Contractor shall be resumed

in accordance with the terms of this Contract, but in no event shall these provisions be construed to impose any obligations upon the County to either the Contractor or the Contractor's Surety.

- 2. In paying any unpaid bills of the Contractor, the County shall be deemed the Agent of the Contractor, and any payment so made by the County, shall be considered as a payment made under the Contract by the County to the Contractor and the County shall not be liable to the Contractor for any such payment made in good faith.
- 3. Contractor shall indemnify, hold harmless and defend Dane County, its boards, commissions, agencies, officers, employees and representatives from all claims growing out of the lawful demands of subcontractors, laborers, workmen, mechanics, material men, and furnishers of machinery and parts thereof, equipment, power tools, and all supplies, including commissary, incurred in the performance of this Contract.
- 4. At the Department's request, the Contractor shall furnish satisfactory evidence that all obligations of the nature designated above have been paid, discharged or waived.

N. Acceptance of Final Payment as Release.

- 1. The making of final payment shall constitute a waiver of all claims by the County except those arising from:
 - a) Unsettled lien;
 - b) Faulty or defective work appearing after substantial completion;
 - c) Failure of the work to comply with the requirements of the Construction Documents; or
 - d) Terms of any special guarantees required by the Construction Documents.
- 2. The acceptance of final payment shall constitute a waiver of all claims by the Contractor.
- O. Lien Waivers. The Contractor warrants that title to all work covered by an application for Payment will pass to the County no later than the time of payment. The Contractor further warrants that upon submittal of an Application for Payment all work for which Certificates for Payment have been previously issued and payments received from the County shall, to the best of the Contractor's knowledge, information and belief, be free and clear of liens, claims, security interests or encumbrances in favor of the Contractor, subcontractor, material suppliers, or other persons or entities making a claim by reason of having provide labor, materials and equipment related to the Work.
- P. **Use and Occupancy Prior to Acceptance.** The Contractor agrees to the use and occupancy of a portion or unit of the project before formal acceptance by the Department, provided the Department:
 - 1. Secures written consent of the Contractor; except when in the opinion of the Department's Public Works Project Engineer, the Contractor is chargeable with unwarranted delay in final cleanup of punch list items or other Contract requirements;
 - 2. Secures endorsement from the insurance carrier and consent of the Surety permitting occupancy of the building or use of the project during the remaining period of construction, or, secures consent of the Surety;
 - 3. Assumes all costs and maintenance of heat, electricity and water; and
 - 4. Accepts all work completed within that portion or unit of the project to be occupied, at time of occupancy.

Q. Correction of Work.

- 1. All work, all materials whether incorporated in the Work or not, and all processes of manufacture shall at all times and places be subject to the inspection of the Architect / Engineer and the Public Works Project Engineer who shall be the judge of the quality and suitability of the work, materials, and processes of manufacture for the purposes for which they are used. Should they fail to meet the Architect / Engineer's and the Public Works Project Engineer's approval they shall be reconstructed, made good, replaced or corrected, as the case may be, by the Contractor at the Contractor's expense. Rejected material shall immediately be removed from the site.
- 2. If the Contractor defaults or neglects to carry out the Work in accordance with the Construction Documents or fails to perform any provision of the Contract, the Department may, after ten (10) days written notice to the Contractor and without prejudice to any other remedy the County may have, make good such deficiencies. In such case, an appropriate Change Order shall be issued deducting from the payments then or thereafter due the Contractor the cost of correcting such deficiencies, including the cost of the Architect / Engineer's additional services made necessary by such default, neglect or failure.

6. GENERAL GUARANTEE

- A. Neither the final certificate of payment nor any provision in the Construction Documents nor partial or entire occupancy of the premises by the County shall constitute an acceptance of work not done in accordance with the Construction Documents or relieve the Contractor of liability in respect to any expressed warranties or responsibility for faulty materials or workmanship.
 - In no event shall the making of any payment required by the Contract constitute or be
 construed as a waiver by County of any breach of the covenants of the Contract or a
 waiver of any default of Contractor and the making of any such payment by County
 while any such default or breach shall exist shall in no way impair or prejudice the right
 of County with respect to recovery of damages or other remedy as a result of such breach
 or default.
- B. The Contractor shall remedy and make good all defective workmanship and materials and pay for any damage to other work resulting therefrom, which appear within a period of one year from the date of substantial completion, providing such defects are not clearly due to abuse or misuse by the County. The Department will give notice of observed defects with reasonable promptness.
- C. Guarantee on work executed after certified date of substantial completion will begin on the date when such work is inspected and approved by the Architect / Engineer and the Public Works Project Engineer.
- D. Where guarantees or warrantees are required in sections of Construction Documents for periods in excess of one year, such longer terms shall apply; however, the Contractor's Performance / Payment Bond shall not apply to any guarantee or warranty period in excess of one year.

7. IDENTICAL BIDDING

A. **Antitrust Laws.** All identical bids submitted to the County because of advertised procurement for materials, supplies, equipment or services exceeding \$1,000,000.00 in total

RFB No. 311010 CC - 10 rev. 01/09

amount shall be reported to the Attorney Generals of the United States and the State of Wisconsin for possible violation and enforcement of antitrust laws.

8. BINDING CONTRACTS

A. **Contract Commitment.** Any contracts resulting from this bid shall be binding on a successful bidder(s) to its conclusion and on its assigns, heirs, executors, administrators or successors.

9. AFFIRMATIVE ACTION PROVISION AND MINORITY / WOMEN / DISADVANTAGED BUSINESS ENTERPRISES

- A. Affirmative Action Provisions. During the term of its Contract, Contractor agrees not to discriminate on the basis of race, religion, color, sex, handicap, age, sexual preference, marital status, physical appearance, or national origin against any person, whether a recipient of services (actual or potential), an employee, or an applicant for employment. Such equal opportunity shall include but not be limited to the following: employment, upgrading, demotion, transfer, recruitment, advertising, layoff, termination, training, rates of pay, and any other form of compensation or level of service(s). Contractor agrees to post in conspicuous places, available to all employees, service recipients and applicants for this paragraph. The listing of prohibited bases for discrimination shall no be construed to amend in any fashion state or federal law setting forth additional bases and exceptions shall be permitted only to the extent allowable in state or federal law.
- B. Contractor is subject to this paragraph only if Contractor has ten (10) or more employees and receives \$10,000.00 or more in annual aggregate contracts with County. Contractor shall file an Affirmative Action Plan with the Dane County Contract Compliance Officer in accord with Chapter 19 of the Dane County Code of Ordinances. Contractor must file such plan within fifteen (15) days of the effective date of this Contract and failure to do so by that date shall constitute grounds for immediate termination of the Contract. During the term of this Contract, Contractor shall also provide copies of all announcements of employment opportunities to the County's Contract Compliance Office, and shall report annually the number of persons, by race, sex and handicap status, which apply for employment and, similarly classified, the number hired and the number rejected.
- C. Contact the Dane County Contract Compliance Officer at Dane County Contract Compliance Office, 210 Martin Luther King, Jr. Blvd., Room 421, Madison, WI 53703, 608/266-4114.
- D. In all solicitations for employment placed on Contractor's behalf during the term of this Contract, Contractor shall include a statement to the effect the Contractor is an "Equal Opportunity Employer."
- E. Contractor agrees to furnish all information and reports required by County's Contract Compliance Officer as the same relate to affirmative action and nondiscrimination, which may include any books, records, or accounts deemed appropriate to determine compliance whit Chapter 19, Dane County Code of Ordinances, and the provision of this Contract.
- F. Minority / Women / Disadvantaged / Emerging Small Business Enterprises. Chapter 19.508 of the Dane County Code of Ordinances is the official policy of Dane County to utilize Minority Business Enterprises (MBEs), Women Business Enterprises (WBEs), Disadvantage Business Enterprises (DBEs) and Emerging Small Business Enterprises (ESBEs) fully.

RFB No. 311010 CC - 11 rev. 01/09

G. The Contractor may utilize MBEs / WBEs / DBEs / ESBEs as subcontractors or suppliers. A list of subcontractors will be required of the low bidder as stated in this Contract. The list shall indicate which subcontractors or suppliers are MBEs / WBEs / DBEs / ESBEs and what percentage of subcontract is awarded, shown as a percentage of the total dollar amount of the bid.

10. COMPLIANCE WITH FAIR LABOR STANDARDS

- A. During term of this Contract, Contractor shall report to County Contract Compliance Officer, within ten (10) days, any allegations to, or findings by National Labor Relations Board (NLRB) or Wisconsin Employment Relations Commission (WERC) that Contractor has violated statute or regulation regarding labor standards or relations. If investigation by Contract Compliance Officer results in final determination that matter adversely affects Contractor's responsibilities under this Contract, and which recommends termination, suspension or cancellation of this Contract, County may take such action.
- B. Contractor may appeal any adverse finding by Contract Compliance Officer as set forth in Dane County Ordinance 25.015(11)(c) through (e).
- C. Contractor shall post this statement in prominent place visible to employees: "As condition of receiving and maintaining contract with Dane County, this employer shall comply with federal, state and all other applicable laws prohibiting retaliation or union organizing."

11. DOMESTIC PARTNERSHIP BENEFITS

A. Contractor agrees to provide same economic benefits to all of its employees with domestic partners as it does to employees with spouses, or cash equivalent if such benefit cannot reasonably be provided. Contractor agrees to make available for County inspection Contractor's payroll records relating to employees providing services on or under this Contract or subcontract. If any payroll records of Contractor contain any false, misleading or fraudulent information, or if Contractor fails to comply with provisions of Chapter 25.016, Dane County Ordinances, contract compliance officer may withhold payments on Contract; terminate, cancel or suspend Contract in whole or in part; or, after due process hearing, deny Contractor right to participate in bidding on future County contracts for period of one year after first violation is found and for period of three years after second or subsequent violation is found.

12. INSURANCE REQUIREMENTS

- A. Contractor shall indemnify, hold harmless and defend Dane County, its boards, commissions, agencies, officers, employees and representatives from and against all claims, damages, losses and expenses including attorneys' fees arising out of or resulting from the performance of the Work, provided that any such claim, damage, loss or expense is attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property (other than the Work itself) including the loss of use resulting there from, and is caused in whole or in part by any act or omission of the Contractor, any subcontractor, anyone directly or indirectly employed by any of them or anyone for whose acts any of them may be liable, regardless of whether or not it is caused in part by a part indemnified hereunder.
- B. In any and all claims against Dane County, its boards, commissions, agencies, officers, employees and representatives or by any employee of the Contractor, any subcontractor,

RFB No. 311010 CC - 12 rev. 01/09

anyone directly or indirectly employed by any of them or anyone for whose acts any of them may be liable, the indemnification obligation under this Contract shall not be limited in any way by any limitation on the amount or type of damages, compensation or benefits payable by or for the Contractor or any subcontractor under worker's compensation acts, disability benefits or other employee benefit acts.

- C. The obligations of the Contractor under this Contract shall not extend to the liability of the Architect / Engineer, its agents or employees arising out of (1) the preparation or approval of maps, drawings, opinion, reports, surveys, change orders, designs or specifications; or (2) the giving of or the failure to give directions or instruction by the Architect / Engineer, its agents or employees provided such giving or failure to give is the primary cause of the injury or damage.
- D. The County shall not be liable to the Contractor for damages or delays resulting from work by third parties or by injunctions or other restraining orders obtained by third parties.
- E. **Contractor Carried Insurance.** In order to protect itself and the County, the Contractor shall not commence work under this Contract until obtaining all the required insurance and the County has approved such insurance. The Contractor shall not allow any subcontractor to commence work on the subcontract until the insurance required of the subcontractor has been so obtained and approved.
 - 1. Worker's Compensation Insurance
 The Contractor shall procure and shall maintain during the life of this Contract, Worker's
 Compensation Insurance as required by statute for all of its employees engaged in work
 at the site of the project under this Contract and, in case of such work sublet, the
 Contractor shall require the subcontractor similarly to provide Worker's Compensation
 Insurance for all of the latter's employees to be engaged in such work unless such
 employees are covered by the protection afforded by the Contractor's Worker's
 Compensation Insurance.
 - 2. Contractor's Public Liability and Property Damage Insurance
 The Contractor shall procure and maintain during the life of this Contract, Contractor's
 Public Liability Insurance and Contractor's Property Damage Insurance in an amount not
 less then \$1,000,000.00 per occurrence for bodily injury and death, and Contractor's
 Property Damage Insurance in an amount not less than \$1,000,000.00 and shall be
 primary with Dane County as an "Additional Insured".
 - 3. Auto Liability Insurance
 The Contractor shall procure and maintain during the life of this Contract,
 Comprehensive Automobile Liability Insurance covering owned, non-owned and hired
 automobiles for limits of not less than \$1,000,000.00 and shall be primary with Dane
 County as an "Additional Insured".
- F. Contractor either (1) shall require each subcontractors to procure and to maintain during life of subcontract, subcontractor's Public Liability Property Damage Insurance, and Comprehensive Automobile Liability Insurance of type and in same amount specified in preceding paragraphs; or (2) insure that activities of subcontractors in their own policy.
- G. Contractor shall furnish the County with certificates showing type, amount, class of operations covered, effective dates and dates of expiration of policies. Such certificates shall also contain substantially this statement: "Insurance covered by this certificate will not be

canceled or materially altered, except after ten (10) days written notice has been received by the County."


H. **Builder's Risk.** County shall provide Builder's Risk policy. Terms of this policy will be made available by County's Risk Manager upon Contractor's request. By executing this Contract, Contractor warrants it is familiar with terms of said policy.

SUPPLEMENTARY CONDITIONS

1. APPLICATION & CERTIFICATE FOR PAYMENT

A. Every contractor engaged in performance of any contract for Department of Public Works, Highway & Transportation shall submit partial and final Application & Certificate for Payment for work under said contract. Form shall provide similar information as shown on AIA G702TM and G703TM forms (samples shown below). Forms shall be submitted to [project Architect / Engineer, Public Works Project Engineer] for approval.





2. PREVAILING WAGE RATE DETERMINATION

A. Wage Rates do not apply.

3. INSURANCE

- A. **Contractor Carried Insurance.** In order to protect itself and the County, Contractor shall not commence work under this Contract until obtaining all required insurance and the County has approved such insurance. Contractor shall not allow any subcontractor to commence work on subcontract until insurance required of subcontractor has been so obtained and approved.
 - 1. Pollution Insurance Policy
 Contractor shall procure and maintain during life of this Contract, Pollution Insurance
 Policy in amount of at least \$1,000,000 per occurrence, \$5,000,000 aggregate.

SECTION 01000

BASIC REQUIREMENTS

PART 1 GENERAL

1.1 SECTION SUMMARY

٨	C 4:	Includes:
Δ	Section	inclindec:

- 1. Section Summary
- 2. Summary of the Work
- 3. Contractor Use of Premises
- 4. Applications for Payment
- 5. Alternates
- 6. Coordination
- 7. Cutting and Patching
- 8. Conferences
- 9. Progress Meetings
- 10. Submittal Procedures
- 11. Proposed Products List
- 12. Shop Drawings
- 13. Product Data
- 14. Samples
- 15. Manufacturers' Instructions
- 16. Manufacturers' Certificates
- 17. Quality Assurance / Quality Control of Installation
- 18. References
- 19. Interior Enclosures
- 20. Protection of Installed Work
- 21. Parking
- 22. Staging Areas
- 23. Occupancy During Construction and Conduct of Work
- 24. Protection
- 25. Progress Cleaning
- 26. Products
- 27. Transportation, Handling, Storage and Protection
- 28. Product Options
- 29. Substitutions
- 30. Starting Systems
- 31. Demonstration and Instructions
- 32. Contract Closeout Procedures
- 33. Final Cleaning
- 34. Adjusting
- 35. Operation and Maintenance Data
- 36. Spare Parts and Maintenance Materials
- 37. Record Drawings and Specifications

1.2 SUMMARY OF THE WORK

- A. Project Description: Perform the Work as specified and detailed in Construction Documents package. Contractor to furnish, install and wire all equipment required for installation of complete system for releasing exit doors.
- B. Work by Owner: Not applicable.
- C. Permits: Not applicable.
- D. Permits: Prior to commencement of the Work, Contractor to secure any and all necessary permits for completion of the Work and facility occupancy.

CONTRACTOR USE OF PREMISES 1.3

A. Limit use of premises to allow work by Contractors or Subcontractors and access by Owner.

APPLICATIONS FOR PAYMENT 1.4

- Submit two (2) copies of each application on AIA G702TM and G703TM forms or A. approved contractors invoice form.
- B. Content and Format: Utilize Schedule of Values for listing items in Application for Payment.
- Payment Period: Monthly. C.

1.5 **ALTERNATES**

- A. Alternates quoted on Bid Form shall be reviewed and accepted or rejected at the Owner's option.
- B. Coordinate related work and modify surrounding work as required.
- C. Schedule of Alternates: there are no alternates proposed for this project.

1.6 COORDINATION

- A. Coordinate scheduling, submittals, and work of various sections of Specifications to assure efficient and orderly sequence of installation of interdependent construction elements.
- B. Verify utility requirement characteristics of operating equipment are compatible with building utilities.
- C. Coordinate space requirements and installation of mechanical and electrical work that are indicated diagrammatically on Drawings.

1.7 **CUTTING AND PATCHING**

- A. Employ a skilled and experienced installer to perform cutting and patching new work; restore work with new Products.
- B. Submit written request in advance of cutting or altering structural or building enclosure elements.
- C. Fit work tight to adjacent elements. Maintain integrity of wall, ceiling, or floor construction; completely seal voids.
- D. Refinish surfaces to match adjacent finishes.

CONFERENCES 1.8

- A. Dane County Department Public Works, Highway & Transportation will schedule a preconstruction conference after Award of Contract for all affected parties.
- B. When required in individual Specification section, convene a pre-installation conference at project site prior to commencing work of the section.

1.9 PROGRESS MEETINGS

- A. Schedule and administer meetings throughout progress of the Work at minimum of one (1) per week.
- B. Preside at meetings, record minutes, and distribute copies within two (2) days to those affected by decisions made.
- C. Owner shall schedule and administer meetings throughout progress of the Work at minimum of one (1) per week.
- D. Owner shall preside at meetings, record minutes, and distribute copies within two (2) days to those affected by decisions made.

1.10 SUBMITTAL PROCEDURES

- Submittal form to identify Project, Contractor, Subcontractor or supplier; and pertinent A. Construction Documents references.
- B. Apply Contractor's stamp, signed or initialed, certifying that review, verification of Products required, field dimensions, adjacent construction work, and coordination of information is in accordance with requirements of the Work and Construction Documents.
- C. Identify variations from Construction Documents and Product or system limitations that may be detrimental to successful performance of completing the Work.

D. Revise and resubmit submittals as required; identify all changes made since previous submittal.

PROPOSED PRODUCTS LIST 1.11

Within fifteen (15) days after date of Award of Contract, submit complete list of major A. Products proposed for use, with name of manufacturer, trade name, and model number of each Product.

SHOP DRAWINGS 1.12

Submit number of copies that Contractor requires, plus two (2) copies that shall be A. retained by Public Works Project Engineer.

PRODUCT DATA 1.13

- Submit number of copies that Contractor requires, plus two (2) copies that shall be A. retained by Public Works Project Engineer.
- B. Mark each copy to identify applicable products, models, options, and other data. Supplement manufacturer's standard data to provide information unique to this Project.

1.14 **SAMPLES**

- A. Submit samples to illustrate functional and aesthetic characteristics of the Product.
- B. Submit samples of finishes from the full range of manufacturers' standard colors, textures, and patterns for Public Works Project Engineer's selection.

1.15 MANUFACTURERS' INSTRUCTIONS

When specified in individual Specification sections, submit manufacturers' printed A. instructions for delivery, storage, assembly, installation, start-up, adjusting, and finishing, in quantities specified for Product Data.

1.16 MANUFACTURERS' CERTIFICATES

- When specified in individual Specification sections, submit manufacturers' certificate to A. Public Works Project Engineer for review, in quantities specified for Product Data.
- B. Indicate material or Product conforms to or exceeds specified requirements. Submit supporting reference data, affidavits, and certifications as appropriate.

1.17 QUALITY ASSURANCE / QUALITY CONTROL OF INSTALLATION

- Monitor quality control over suppliers, manufacturers, Products, services, site conditions, A. and workmanship, to produce work of specified quality.
- B. Comply fully with manufacturers' instructions.

C. Comply with specified standards as minimum quality for the Work except when more stringent tolerances, codes, or specified requirements indicate higher standards or more precise workmanship.

1.18 REFERENCES

- A. Conform to reference standard by date of issue current as of date for receiving bids.
- B. Should specified reference standard conflict with Construction Documents, request clarification from Public Works Project Engineer before proceeding.

INTERIOR ENCLOSURES 1.19

A. Provide temporary partitions as required to separate work areas from Owner occupied areas, to prevent distribution of dust and moisture into Owner occupied areas, and to prevent damage to existing materials and equipment.

1.20 PROTECTION OF INSTALLED WORK

Protect installed work and provide special protection where specified in individual A. Specification sections.

1.21 **PARKING**

Arrange for temporary parking areas to accommodate construction personnel. Parking A. shall be available at the Work site.

1.22 STAGING AREAS

- A. Coordinate staging areas with Public Works Project Engineer prior to starting the Work.
- B. On-site space for use as staging areas and storage of materials is limited and will be apportioned among the various Contractors as their needs dictate with due regard for storage requirements of each Contractor. Each Contractor shall be responsible for safety of equipment and materials that are stored on site.

1.23 OCCUPANCY DURING CONSTRUCTION AND CONDUCT OF WORK

- Areas of existing facility will be occupied during period when the Work is in progress. A. Work may be done during normal business hours (8:00 am to 4:30 pm), but confer with Owner, schedule work and store materials so as to interfere as little as possible with normal use of premises. Notify Owner when coring or similar noise making work is to be done and obtain Owner's written approval of schedule. If schedule is not convenient for Owner, reschedule and resubmit new times for Owner approval. Coring of floor along with other noisy work may have to be done on second and third shifts.
- B. Work shall be done and temporary facilities furnished so as not to interfere with access to any occupied area and so as to cause least possible interference with normal operation of facility or any essential service thereof.

- C. Contractor shall, at all times, provide approved, safe walkways and facility entrances for use by Owner, employees and public.
- D. Contractor shall provide adequate protection for all parts of facility, its contents and occupants wherever the Work under this contract is to be performed.
- E. Each Contractor shall arrange with Owner to make necessary alterations, do new work, make connections to all utilities, etc., at such times as will not cause interruption of utility services to facility. Contractor doing this work shall protect, cap, cut off and / or replace and relocate existing pipes, electrical work and other active utilities encountered which may interfere with new construction work.
- F. New work in extension of existing work shall correspond in all respects with that to which it connects or similar existing work unless otherwise indicated or specified.
 - Existing work shall be cut, altered, removed or replaced as necessary for performance of contract obligations.
 - 2. Work remaining in place, damaged or defaced by reason of work done under this contract shall be restored equal to its condition at time of Award of Contract.
 - 3. If removal of work exposes discolored or unfinished surfaces or work out of alignment, such surfaces shall be refinished or materials replaced as necessary to make continuous work uniform and harmonious.

1.24 **PROTECTION**

- Contractor shall protect from injury all trees, shrubs, hedges, walks and driveways and Α. pay for any damage to same resulting from insufficient or improper protection.
- B. Guard Light: Contractor shall provide and maintain guard lights at all barricades, railings, obstructions in streets, roads or sidewalks and at all trenches adjacent to public walks or roads.

1.25 PROGRESS CLEANING

Maintain areas free of waste materials, debris, and rubbish. Maintain site in clean and A. orderly condition.

1.26 **PRODUCTS**

- Products: Means new material, machinery, components, equipment, fixtures, and A. systems forming the Work, but does not include machinery and equipment used for preparation, fabrication, conveying and erection of the Work. Products may also include existing materials or components specifically identified for reuse.
- B. Do not use materials and equipment removed from existing premises, except as specifically identified or allowed by Construction Documents.

1.27 TRANSPORTATION, HANDLING, STORAGE AND PROTECTION

A. Transport, handle, store and protect Products in accordance with manufacturer's instructions.

1.28 PRODUCT OPTIONS

- A. Where definite material is specified, it is not intention to discriminate against "equal" product made by another manufacturer. Intention is to set definite standard of material quality. Should bidder choose to bid materials other than those specified, bidder shall submit said materials specifications to Department of Public Works, Highway & Transportation for approval at least seven (7) days prior to Bid Opening.
- B. Products and materials that are not specified, but have been approved for use by Public Works Project Engineer shall be identified in addenda to all bidding contractors.
- C. Requests for material or product substitutions submitted after Bid Opening may be considered. Dane County reserves right to approve or reject substitutions based on Specification requirements and intended use.

1.29 **SUBSTITUTIONS**

- A. Public Works Project Engineer shall consider requests for Substitutions only within fifteen (15) days after date of Public Works Contract.
- Document each request with complete data substantiating compliance of proposed B. Substitution with Construction Documents.
- C. Submit three (3) copies of requests for Substitution for consideration. Limit each request to one (1) proposed Substitution.
- D. Substitutions shall not change contract price established at Bid Opening.

1.30 STARTING SYSTEMS

- A. Provide written notification prior to start-up of each equipment item or system.
- B. Ensure that each piece of equipment or system is ready for operation.
- C. Execute start-up under supervision of responsible persons in accordance with manufacturers' instructions.
- D. Submit written report that equipment or system has been properly installed and is functioning correctly.

1.31 DEMONSTRATION AND INSTRUCTIONS

A. Demonstrate operation and maintenance of Products to Owner's personnel prior to date of final inspection.

- B. Demonstrate start-up, operation, control, adjustment, trouble-shooting, servicing, maintenance, and shutdown of each item of equipment at agreed-upon times, at designated location.
- C. Owner may choose to videotape demonstration session; demonstration and demonstrator shall be to level of satisfaction of Owner.

1.32 CONTRACT CLOSEOUT PROCEDURES

- Submit written certification that Construction Documents have been reviewed, the Work Α. has been inspected, and the Work is complete in accordance with Construction Documents and ready for Public Works Project Engineer's inspection.
- B. Submit final Application for Payment identifying total adjusted Contract Sum / Price, previous payments, and amount remaining due.

1.33 FINAL CLEANING

- A. Execute final cleaning prior to final inspection.
- B. Clean interior and exterior surfaces exposed to view.
- C. Remove waste and surplus materials, rubbish, and construction facilities from site.

ADJUSTING 1.34

A. Adjust operating Products and equipment to ensure smooth and unhindered operation.

1.35 OPERATION AND MAINTENANCE DATA

Provide operation and maintenance data for all mechanical and electrical equipment A. supplied and installed in project.

1.36 SPARE PARTS AND MAINTENANCE MATERIALS

- Provide Products, spare parts, maintenance and extra materials in quantities specified in A. individual Specification Sections.
- B. Deliver to the Work site and place in location as directed.

1.37 RECORD DRAWINGS AND SPECIFICATIONS

A. Contractor-produced Drawings and Specifications shall remain property of Contractor whether Project for which they are made is executed or not. Contractor shall furnish Public Works Project Engineer with original tracings of drawings and prints of specifications in reproducible format, one set of Drawings and Specifications and one set of record drawings in AutoCAD 2007 format and entire record specification in Word 2000 format on CD.

PART 2 PRODUCTS

Not Used.

PART 3 EXECUTION

Not Used.

END OF SECTION

SECTION 01508

RECYCLING

PART 1 GENERAL

1.1 SUMMARY

- A. Section Includes:
 - 1. Waste Management Goals
 - 2. Waste Management Plan
 - 3. Reuse
 - 4. Recycling
 - 5. Materials Sorting and Storage On Site
 - 6. Lists of Recycling Facilities Processors and Haulers
 - 7. Waste Management Plan Form

B. Related Sections:

- 1. Section 01000 Basic Requirements
- 2. Section 01500 Temporary Facilities and Controls: Progress cleaning and waste removal
- 3. Section 02221 Building Demolition
- 4. Section 02225 Minor Demolition for Remodeling

1.2 WASTE MANAGEMENT GOALS

- A. Dane County requires that as many waste materials as possible produced as result of this project be salvaged, reused or recycled in order to minimize impact of construction waste on landfills and to minimize expenditure of energy and cost in fabricating new materials. Additional information may be found in The Dane County Green Building Policy, Resolution 299, 1999-2000.
- B. Contractor shall develop, with assistance of Public Works Project Engineer and Architect / Engineer, Waste Management Plan (WMP) for this project. Outlined in RECYCLING section of this specification are examples of materials that can be recycled or reused as well as recommendations for waste sorting methods.

1.3 WASTE MANAGEMENT PLAN

- A. Contractor shall complete WMP and include cost of recycling / reuse in Bid. WMP will be submitted to Public Works Project Engineer within fifteen (15) days of Notice to Proceed date. Copy of blank WMP form is in this Section. Submittal shall include cover letter and WMP form with:
 - Information on:
 - a. Types of waste materials produced as result of work performed on site;
 - b. Estimated quantities of waste produced;
 - c. Identification of materials with potential to be recycled or reused;
 - d. How materials will be recycled or reused;

- e. On-site storage and separation requirements (on site containers);
- f. Transportation methods; and
- g. Destinations.

1.4 REUSE

A. Contractors and subcontractors are encouraged to reuse as many waste materials as possible. Salvage should be investigated for materials not reusable on site.

1.5 RECYCLING

- A. These materials can be recycled in Dane County area:
 - 1. Wood.
 - 2. Wood Pallets.
 - 3. Fluorescent Lamps.
 - 4. Foam Insulation & Packaging (extruded and expanded).
 - 5. PVC Plastic (pipe, siding, etc.).
 - 6. Asphalt & Concrete.
 - 7. Bricks & Masonry
 - 8. Corrugated Cardboard.
 - 9. Metal.
 - 10. Carpet Padding.
 - 11. Gypsum Drywall.
 - 12. Shingles.
 - 13. Barrels & Drums.
 - 14. Solvents.

1.6 MATERIALS SORTING AND STORAGE ON SITE

- A. Contractor shall provide separate containers for recyclable materials. Number of containers will be dependent upon project and site conditions.
- B. Contractor shall provide on-site locations for subcontractors supplied recycling containers to help facilitate recycling.

1.7 LISTS OF RECYCLING FACILITIES PROCESSORS AND HAULERS

A. Web site www.countyofdane.com has recycling symbol (link) near top of page that lists current information for Dane County Recycling Markets. Contractors can also contact Dane County's Recycling Manager at 608/267-8815, or local city, village, town recycling staff listed in above referenced web site. Statewide listings of recycling / reuse markets at available from Wisconsin Department of Natural Resources, www.dnr.state.wi.us/org/aw/wm/markets.

1.8 WASTE MANAGEMENT PLAN FORM

A.	Contractor Information:		
	Name:		
	Address:		
	Phone No.:	Recycling Coordinator:	

MATERIAL	ESTIMATED QUANTITY	DISPOSAL METHOD (CHECK ONE)	RECYCLING / REUSE COMPANY OR DISPOSAL SITE
Salvaged &	cu. yds.	RecycledReused	
reused building materials	tons	Landfilled Other	Name:
Glass	cu. yds.	Recycled Reused	
	tons	LandfilledOther	Name:
Wood	cu. yds.	Recycled Reused	
	tons	LandfilledOther	Name:
Wood Pallets		Recycled Reused	
	units	LandfilledOther	Name:
Fluorescent	cu. ft.	RecycledReused	
Lamps	lbs.	Landfilled Other	Name:
Foam Insulation	cu. ft.	RecycledReused	
roam msuration	lbs.	Landfilled Other	Name:
Asphalt &	cu. ft.	RecycledReused	
Concrete	lbs.	Landfilled Other	Name:
Bricks &	cu. ft.	RecycledReused	
Masonry	lbs.	Landfilled Other	Name:
PVC Plastic	cu. ft.	RecycledReused	
r v C Flastic	lbs.	Landfilled Other	Name:
Corrugated Cardboard	cu. ft.	RecycledReused	
	lbs.	Landfilled Other	Name:
Metals	cu. yds.	RecycledReused	
	tons	Landfilled Other	Name:
Carpet Padding	cu. ft.	RecycledReused	
	lbs.	Landfilled Other	Name:
Gypsum / Drywall	cu. yds.	RecycledReused	
	tons	Landfilled Other	Name:

Shingles	cu. yds.	Recycled Reused Landfilled Other	Name:
Barrels & Drums	units	RecycledReusedLandfilledOther	Name:
Solvents	gallons	Recycled Reused Landfilled Other	Name:
Other		RecycledReused Landfilled Other	Name:
Other		RecycledReusedLandfilledOther	Name:
Other		Recycled Reused Landfilled Other	Name:
Other		RecycledReusedLandfilledOther	Name:
Other		Recycled Reused Landfilled Other	Name:

PART 2 PRODUCTS

Not Used.

PART 3 EXECUTION

Not Used.

END OF SECTION

SECTION 08710

DOOR HARDWARE

PART 1:GENERAL

1.01 RELATED DOCUMENTS

A. Conditions of the Contract and portions of Division One of this Project Manual apply to this Section as though repeated herein.

1.02 WORK INCLUDED

A. Door Hardware.

1.03 RELATED SECTIONS

- A. 16001 General Electrical Requirements
- B. 16711 Exit Door Controls

1.04 REFERENCES

- A. Federal Specifications (FS)
 - 1. FF-H-106a Hardware, Builders'; Locks and Door Trim-Standard Finishes for Builders Hardware.
- B. National Fire Protection Association, Inc. (NFPA), Battery March Park, Quincy, MA 02269.
 - 1. NFPA 80 Standard for fire doors and windows.
 - 2. NFPA 101 Code for safety to life from fire in buildings and structures.
- C. Underwriter's Laboratories, Inc. (UL), 333 Pfingsten Road, Northbrook, IL 60062.
 - 1. Building Materials Directory.
- D. Hardware shall be in strict accord with Wisconsin Administrative Code Chapter Comm. 69 "Barrier Free Design".

1.05 SUBMITTALS

- A. Submit in accordance with the General Conditions of the Contract.
 - 1. Five (5) copies of a detailed, vertical type hardware schedule for approval.
 - a. List and describe each opening separately. Include doors with identical hardware, except hand, in a single heading. Include door number, room designations, degree of swing, and hand.
 - b. List related details. Include dimensions, door and frame material, and other conditions affecting hardware.
 - c. List all hardware items. Include manufacturer's name, quantity, product name, catalog number, size, finish, attachments, and related details.
 - d. Resubmit four (4) copies of the corrected schedule when required.
 - e. Determine keying requirements, as directed by the Owner's Representative and submit five (5) copies of a detailed keying schedule for approval; resubmit four copies (4) of the corrected schedule when required.
 - 2. Samples of hardware items as may be required. Identify each sample and indicate the location of subsequent installation in the project.

Door Hardware 1ssued 11.06.09 08710-1

3. A copy of the approved hardware schedule and all pertinent templates or template information to each fabricator of material factory-prepared for the installation of hardware.

1.06 QUALITY ASSURANCE

- A. Manufacturers and product numbers listed herein establish a standard of quality. Similar items by other manufacturers may be accepted by prior approval in accord with the General Conditions of the Contract. Except where specified in the hardware schedule, furnish products of only one manufacturer for each type of hardware.
- B. Supplier: Company specializing in the builders' hardware industry.
- C. Items of hardware not definitely specified herein but necessary for completion of the Work shall be provided. Such items shall be of type and quality suitable to the service required and comparable to the adjacent hardware. Where size and shape of members is such as to prevent the use of types specified, hardware shall be furnished of suitable types having as nearly as practicable the same operation and quality as the type specified. Sizes shall be adequate for the service required. Include such nuances as strike type, strike lip, raised barrel hinges, mounting brackets, fasteners, shims, and coordination between conflicting products. All doors shall be provided with a stop.
- D. Supplier is responsible for performing site visit and confirming specified hardware will fit existing conditions before supplying material.

1.07 REGULATORY REQUIREMENTS

A. Furnish UL listed hardware for all UL labeled openings in conformance with requirements for the class of opening scheduled.

1.08 DELIVERY, STORAGE AND HANDLING

- A. Deliver hardware to the job site in the manufacturer's original containers marked to correspond with the approved hardware schedule for installation location.
- B. Store hardware in dry surroundings and protect against loss and damage.

PART 2: PRODUCTS

2.01 MANUFACTURERS

A. Refer to the Hardware Schedule at the end of this Section.

2.02 ACCESSORIES

- A. Furnish all necessary hardware accessories such as wood or machine screws, bolts, nuts, anchors, toggle bolts, and other fasteners, each of the type, size, material and finish for its intended purpose and each according to the material to which the hardware is being applied.
- B. Keying system will be determined by the Owner's Representative.

PART 3: EXECUTION

3.01 INSTALLATION

Door Hardware 1ssued 11.06.09 08710-2

- A. Install hardware in accordance with manufacturer's recommendations and instructions.
- B. Install hardware on UL labeled openings in accordance with manufacturer's requirements to maintain the fire rating.
- C. Mortise and cut to close tolerance and conceal evidence of cutting in the finished work.
- D. Remove, cover or protect hardware after fitting until paint or other finish is applied. Permanently install hardware after finishing operations are complete.
- E. Deliver one complete set of installation and adjustment instructions, and tools with the hardware.
- F. Coordinate security system electrical requirements at doors indicated to have such system.
- G. Coordinate all Owner Furnished Owner Installed hardware.

3.02 ADJUSTING

A. At final completion, adjust and test all hardware for function and performance and leave in good operating condition.

3.03 CLEANING

A. Clean all hardware to restore the original finish.

3.04 PROTECTION

A. Protect the finished installation until acceptance of the project.

3.05 HARDWARE SCHEDULE

A. Manufacturers

1. Hinges Hager Hinge Co. HAG

a. Approved Equals: Stanley McKinney

2. Lockset Best Access Systems BES

a. Approved Equals: Provide 7-pin cylinders to match existing. Coordinate with Best Access

Systems for keying of project. Deliver cylinders to Owner for keying by

Owner, installation by contractor.

B. Hardware Sets:

<u>SET 01</u>

Opening(s): 1003B, 4-1, 2-3, 3-3, 1-4, 4-4, 1-5, 4-5

Remove existing cylindrical lock.

Add the following:

1 EA ETW HINGE BB1279 ETW-8 652 HAG 1 EA FAIL-SAFE LOCK SET 93KW DELx 14D 626 BES

Installer to drill through masonry wall for passage of wire from junction box to ETW hinge. Installer will drill raceway through door for wiring of lock from ETW hinge to lockset. At opening 1003b, wire to be run through stud wall into back of frame. Raceway to be drilled through door to lockset. Maintain all existing fire resistance ratings. Notify Owner of any removed latch guards, Owner to reinstall. Owner to modify Door 3-1 to free access.

END OF SECTION 08710

Door Hardware 1ssued 11.06.09 08710-3

SECTION 16001

GENERAL ELECTRICAL REQUIREMENTS

PART 1 - GENERAL

1.01 SCOPE

A. All requirements of Division 1 govern work under this Section.

1.02 RELATED WORK

A. See Section 08710 DOOR HARDWARE.

1.03 GENERAL PROVISIONS

- A. In general, the work includes: Electrical work and the kindred materials and operations as indicated on the drawings and as specified in the following articles of Section 16001and 16711.
- B. Job Information: Obtain at building including:
- C. Conditions affecting this Section of the Work.
- D. Accessibility.
 - 1. Storage space.

1.04 DEFINITIONS

- A. Certain terms used herein; on the drawings; and in the contract documents, shall be defined as follows:
- B. Provide: Furnish and install complete and ready for service.
- C. Exposed: Exposed to view in any room, hallway, passageway, or outside.
- D. Approval: The approval of the Architect in writing or by signed rubber stamp applied to drawings, illustrations, etc.

1.05 INTENT OF DRAWINGS AND SPECIFICATIONS

A. These specifications and attendant drawings are intended to cover a complete installation of systems. The omission of expressed reference to any item of labor or material necessary for the proper execution of the work in accordance with present practice of the trade shall not relieve the Contractor from providing such additional labor and materials.

1.06 DRAWINGS

A. The Electrical drawings do not attempt to show the complete details of building construction which affect the electrical installation. The Contractor shall refer to the architectural, civil, structural and mechanical drawings for additional details which affect the proper installation of this work. The Contractor is cautioned that diagrams showing electrical connections and/or circuiting are diagrammatic only and must not be used for obtaining lineal runs of wire to conduit. Wiring diagrams do not necessarily show the exact physical arrangement of the equipment.

1.07 MATERIAL AND EQUIPMENT

A. All material and equipment shall be new and of the quality used for the purpose in good commercial practice, and shall be standard product of reputable manufacturers. Each major component of equipment shall have the manufacturer's name, catalog number, and capacity or rating on a nameplate, securely affixed on the equipment in a conspicuous place.

1.08 SUBSTITUTION AND APPROVAL OF MATERIAL

- A. See Instructions to Bidders.
- B. Such requests shall be accompanied by three copies of all necessary illustrations, cuts, drawings and descriptions of material proposed for substitution and shall fully describe all points in which it differs from the articles specified. Two copies will be retained by the Architect and one copy returned to the Contractor with approval or revisions indicated thereon.

1.09 DAMAGE TO OTHER WORK

A. The Electrical Contractor will be held rigidly responsible for all damages to the work of his own or any other trade resulting from the execution of his work. It shall be the Contractor's responsibility to adequately protect his work at all times. All damages resulting from his operations shall be repaired or the damaged portions replaced by the party originally performing the work, (to the entire satisfaction of the Architect), and all cost thereof shall be borne by the Contractor responsible for the damage.

1.10 COOPERATION WITH OTHER TRADES

A. This Contractor shall completely cooperate with all other trades in the matter of planning and executing of the work. Every reasonable effort shall be made to prevent conflict and interferences as to space requirements, dimensions, locations, openings, sleeving or other matters which tend to delay or obstruct the work of any trade.

1.11 NEGLIGENCE

A. Should the Contractor fail to provide materials, templates, etc., or other necessary information causing delay or expense to another party, he shall pay the actual amount of the damages to the party who sustained the loss.

1.12 FIELD CHANGES

A. Should any change in drawings or specifications be required to comply with local regulations and/or field conditions, the Contractor shall refer same to Architect for approval before any work which deviates from the original requirements of the drawings and specifications is started. In the event of disagreements as to the necessity of such changes, the decision of the Architect shall be final.

1.13 COMPLETION DATES

A. This Contractor shall be in a position to meet all completion dates established by the Architect and shall furnish all labor of all classes required to meet such schedules and completion dates.

1.14 STANDARDS, CODES AND PERMITS

- A. All work shall be installed in accordance with National, State and Local electrical codes, laws, ordinances and regulations. Comply with all applicable OSHA regulations.
- B. All materials shall have a U.L. label where a U.L. standards and/or test exists.
- C. Prepare and submit to all authorities having jurisdiction, for their approval, all applications and working drawings required by them.
- D. Secure and pay for all permits and licenses required.

1.15 CLEAN-UP

- A. This Contractor shall at all times keep the premises free from excessive accumulation of waste material or rubbish resulting from his work, including tools, scaffolding and surplus materials, and he shall leave his work broom clean or its equivalent.
- B. In case of dispute, Architect may order the removal of such rubbish and charge the cost to the responsible contractor as determined by the Architect. At the time of final clean-up all fixtures and equipment shall be thoroughly cleaned and left in proper condition for their intended use.

1.16 SHOP DRAWINGS

- A. Submit to Engineer for review, copies of manufacturer's shop drawings and/or equipment brochure depicting:
 - 1. Door Hardware
 - 2. Cables
 - 3. Power Supplies
 - 4. Other materials at the request of the Engineer
- B. See Section 01300.
- C. Shop drawings shall bear the Contractor's stamp indicating approval.
- D. Any equipment fabrication prior to shop drawing review shall be at the Contractor's risk.

1.17 WORKMANSHIP

A. The installation of all work shall be made so that its several component parts will function as a workable system complete with all accessories necessary for its operation, and shall be left with all equipment properly adjusted and in working order. The work shall be executed in conformity with the best accepted standard practice of the trade so as to contribute to efficiency and appearance. It shall also be executed so that the installation will conform and adjust itself to the building structure, its equipment and its usage.

1.18 FIELD MEASUREMENTS

A. The Contractor shall take all field measurements necessary for his work and shall assume the full responsibility for their accuracy.

1.19 STRUCTURAL INTERFERENCES

A. Should any structural interference prevent the installation of the outlets, running of conduits,

etc., at points shown on drawings, the necessary minor deviation therefrom, as determined by the Architect, may be permitted. Minor changes in the position of the outlets or equipment if decided upon before any work has been done by the Contractor shall be made without additional charge.

1.20 EXAMINATION OF PLANS, SPECIFICATIONS AND SITE

A. Before submitting a bid, the Contractor shall visit the site and familiarize himself with all features of the building and site which may affect the execution of his work. No extra payment will be allowed for the failure to obtain this information. If in the opinion of the Contractor there are omissions or errors in the plans or specifications, the Contractor shall clarify these points with the Architect before submitting his bid. In lieu of written clarification by addendum, resolve all conflicts in favor of the greater quantity or better quality.

1.21 GUARANTEE

A. The Contractor shall unconditionally guarantee his work and all components thereof for a period of one year from the date of his final payment. He shall remedy any defects in workmanship and repair or replace any faulty equipment which shall appear within the guarantee period to the entire satisfaction of the Architect at no additional charge.

1.22 IDENTIFICATION

A. General:

- 1. Materials and equipment installed under this Section shall be clearly identified as listed below.
- 2. Locate identification conspicuously.
- 3. Terminology must be approved by Architect.
- 4. See plans for any additional items to be identified.
- 5. Use abbreviations sparingly.

B. Conductor Identification:

- Identify each conductor at each wiring device, connector or splice point with permanently attached wrap-around adhesive markers as manufactured by Brady Co. or 3M.
- 2. This identification shall include branch circuit number, control circuit, or any other appropriate number or lettering that will expedite future tracing and trouble shooting.

1.23 LOCATIONS OF OUTLETS AND WIRING DEVICES

A. Outlets:

1. Locations of outlets and electrical equipment on the drawings are approximate only. Unless otherwise indicated on the drawings or established in the specifications, the exact locations of electrical outlets shall be established in the field by directive from the Architect. Generally, outlets shall be located as required for proper installation of equipment served and otherwise locations shall be established by construction or code requirements and such as to be coordinated with equipment of other trades.

- 2. This Section shall consult with the Architect and refer to all details, sections, elevations and equipment plans and the plans of other trades for exact location.
- 3. The Architect reserves the right to make reasonable changes in the location of outlets, apparatus or equipment up to the time of roughing in. Such changes as directed shall be made by the Contractor without additional compensation.
- 4. Dimensions taken by scale shall not be used to establish rough-in locations.

1.24 DEMOLITION, RENOVATION AND DISPOSITION OF EXISTING EQUIPMENT

- A. This Contractor shall note that portions of the existing building will remain in service during portions of the construction period. Areas of the building will be vacated as required to facilitate construction. This Contractor shall proceed with the completion of his work in such a manner as to cause the least possible interference with the Owner's operation. All work required in the existing building shall be done in a manner and time acceptable to the Owner.
- B. Outages and other work rendering existing equipment inoperative shall be held to a minimum prior arrangement for each shall be made with the Owner and shall be acceptable as to time and duration.
- C. Electrical equipment in conflict with construction shall be removed and/or relocated as indicated on the drawings, as directed or required. This Contractor shall remove all electrical equipment released from service as a result of construction, and no equipment removed shall be reused, except as specifically directed on the drawings or elsewhere herein. All electrical equipment removed during construction shall be presented to the Owner for his acceptance or rejection. Materials rejected by the Owner become the Contractor's property and shall be removed from the site.
- D. This Contractor shall be responsible for the work of other trades as may be necessary to facilitate the installation of electrical work in the existing building. Such work necessary that is normally done by other trades and is not covered as a part of other divisions of the work shall be done under the direction and at the expense of the Electrical Contractor. This work shall include but is not limited to cutting, patching, and all work necessary and required to leave existing building in condition acceptable to the Architect.
- E. All coring that is required for electrical work shall be by this Contractor.
- F. All new conduit and wiring shall be concealed where possible to do so without extensive cutting and patching. All exposed work shall be run in wire mold and installed only where approved by Architect. Routing shall be subject to Architects approval. Make use of all standard wire mold colors to match surfaces as closely as possible.

1.25 SEALING AND FIREPROOFING

- A. Sealing and fireproofing of openings between conduit and fire rated surfaces shall be the responsibility of the contractor whose work penetrates the opening.
- B. Sealing and fireproofing shall use materials and methods complying with ASTM E814 requirements appropriate to the rating of the material penetrated.
- C. Materials by Dow-Corning, 3M, Specified Technologies, Inc., and Chase-Foam are acceptable if in accordance with (B) above.

- D. Submit manufacturer's penetration details to authority having jurisdiction. Details shall confirm method's compliance with ASTM E814.
- E. Include copies of penetration details in Project Operation and Maintenance Manuals.

PART 2 - PRODUCTS

2.01 ACCEPTABLE MANUFACTURERS

A. Refer to related articles. All products are listed under specific paragraphs within following articles.

PART 3 - EXECUTION

3.01 ELECTRICAL SYSTEM

- A. Provide electrical distribution systems as indicated on the drawings with all necessary branch circuit wiring and associated equipment as specified hereinafter or on installation.
- B. Provide special systems as herein specified.

3.02 RACEWAY

- A. Provide a wire mold raceway system wherever cabling cannot be concealed.
- B. Provide EMT sleeves where necessary to penetrate partitions.

3.03 CONDUCTORS

- A. Conductors shall be new soft drawn copper. No. 8 and larger shall be stranded; No. 12 shall be minimum size unless otherwise indicated, with 600 volt insulation, color-coded as required by code. Wire must be delivered to job site in original cartons.
- B. Wire and cable for general interior use shall have 600 volt insulation. Sizes smaller than No. 8 shall comply with code for Type THHN/THWN. Size No. 8 and larger shall comply with code for type THW.

3.04 WIRE JOINTS, SPLICES AND CONNECTORS

- A. Branch circuits No. 10 and smaller shall be Scotchlock Type H spring compression connector as manufactured by Minnesota Mining and Manufacturing Co. or Piggy Pigtails as manufactured by Thomas and Betts Manufacturing Co.
- B. Feeder and Power Wiring: Compression type; lugs and connectors on sizes No. 8 and larger.
- C. Insulation: Use one half lapped Okonite rubber tape or Scotch #33 and comply with all code requirements.

END OF SECTION

SECTION 16711

EXIT DOOR CONTROLS

PART 1 - GENERAL

1.01 SCOPE

A. All requirements of Division 1 govern work under this Section.

1.02 RELATED WORK

A. See Section 08710 DOOR HARDWARE.

1.03 SUMMARY

- A. Furnish, install and wire all equipment required for installation of complete system for releasing exit doors. This work shall include power supplies, outlet boxes, cables and wiring as shown on the drawings and as specified herein.
- B. Coordinate all work with Section 08710.

1.04 INTEGRATION

- A. Materials are available from Innovative Systems, Inc., 9880 South Ridgeview Drive, Oak Creek, Wisconsin 53154.
- B. Contact Jim Holtz at 414-761-7350.
- C. Materials shall be purchased from a source with the capabilities to completely integrate the functions and components with the existing exit door release controls so they operate as an efficient, simple to operate system.

1.05 SUBMITTALS

- A. General: Data sheets on all equipment being provided as well recommended cable types. Internal control cabinet drawings showing internal block diagram connections shall be provided. Wiring diagrams showing typical field wiring connections as well as single line floor plan indicating equipment locations as well as cabling routings and quantities.
- B. Product Data: Submit product data, including manufacturer's product sheet, for specified products.
- C. Shop Drawings: Submit shop drawings showing layout, profiles and product components, including anchorage and accessories. Include cabling diagrams, wiring diagrams, station installation details and equipment cabinet details.
- D. Quality Assurance Submittals: Submit the following:
 - 1. Test Reports: Certified test reports showing compliance with specified performance characteristics.
 - 2. Manufacturer's Instructions: Manufacturer's installation instructions.
- E. Closeout Submittals: Submit the following:
 - 1. Operation and Maintenance Data: Operation and maintenance data for installed products in accordance with Division 1 Closeout Submittals. Include troubleshooting

guide, wiring terminal identification and equipment parts list.

2. Warranty: Warranty documents specified herein.

F. Project Closeout

- 1. The contractor shall furnish manufacturer's manuals of the completed system including individual specifications sheets, schematics, inter-panel and intra-panel wiring diagrams.
 - a. All information necessary for the proper maintenance and operation of the system must be included.
 - b. Provide four copies.
- 2. Demonstrate proper function to Owner and Fire Department.
- 3. Operating manuals and users' guides shall be provided at the time of the training.

1.06 WARRANTY

- A. Manufacturer's Warranty: Submit, for Owner's acceptance, manufacturer's standard warranty document executed by authorized company official. Manufacturer's warranty is in addition to, and not a limitation of, other rights Owner may have under Contract Documents.
 - 1. Warranty Period: 1 year commencing on the Date of Substantial Completion.
 - 2. All materials and installation shall be guaranteed to be free of defects in material and workmanship for one year after final acceptance of installation and tests.

1.07 INSTALLATION STANDARDS

- A. The system shall be installed in accordance with the 2008 NEC.
- B. The completed system shall be in compliance with state and local electrical codes.
- C. All wiring shall test free from grounds and shorts.

PART 2 - PRODUCTS

2.01 POWER SUPPLY

- A. Provide an Altronix SMP7PMCTXS.
 - 1. 115 VAC input.
 - 2. 12VDC/24VDC selectable output.
 - 3. 6 ampere continuous supply current output.
 - 4. Filtered and electronically regulated outputs.
 - 5. Short circuit and thermal overload protection.
 - 6. Built-in charger for battery backup.
 - 7. AC input and DC output LED indicators.
 - 8. AC fail supervision (form C contact rated 1A at 28VDC)
 - 9. In NEMA 1 enclosure.

2.02 SUPERVISION ALARM

- A. Provide Safety Technology International, Inc. STI-SA5000-R.
 - 1. Contains 10 high intensity LED's.
 - 2. Disable internal siren.
 - 3. Provide 9VDC alkaline battery.
 - 4. Provide signage per drawings.
 - 5. Wire to illuminate when power is removed to the Altronix power supply.

PART 3 - EXECUTION

3.01 INSTALLATION

- A. Cabling Requirements
 - 1. Wiring may be run concealed, free air. See following article.
 - 2. Verify cable types with the Manufacturer.
 - 3. Provide 120V AC outlet.
- B. Locate equipment in existing electrical closet.

3.02 FREE AIR WIRING

- A. All wiring shall be run "free-air", in conduit or in surface raceway. "Free-air" wiring is allowed where it can be completely concealed. If wiring cannot be concealed, it shall be installed in wire mold in finished areas and in conduit in unfinished areas.
- B. Where installed "free-air", comply with the following:
 - 1. Cable shall run at right angles and be kept clear of other trades work.
 - 2. Cables shall be supported according to code utilizing bridle rings anchored to ceiling concrete, piping supports or structural steel beams. Rings shall be designed to maintain cables bend to larger than the minimum bend radius (typically 4 x cable diameter).
 - 3. Supports shall be spaced at a maximum 4-foot interval unless limited by building construction. If cable "sag" at mid-span exceeds 12-inches, another support shall be used.
 - 4. Cable shall never be laid directly on the ceiling grid.
 - 5. Cables shall not be attached to or supported by, existing cabling, plumbing or steam piping, ductwork, ceiling supports or electrical or communications conduit.
 - 6. A coil of 2 feet in each cable shall be placed in the ceiling at each "free-air" wired device. These "service loops" shall be secured at the last cable support before the cable reaches the device and shall be coiled from 100% to 200% of the cable recommended minimum bend radius.
 - 7. Devices wired with conduit shall be provided with an 8-inch wire tail at each device box
 - 8. To reduce or eliminate EMI, the following minimum separation distances from ≤480V Power lines shall be adhered to:
 - a. Twelve (12) inches from power lines of <5-kVa.

- b. Eighteen (18) inches from high voltage lighting (including fluorescent).
- c. Thirty-nine (39) inches from power lines of 5-kVa or greater.
- d. Thirty-nine (39) inches from transformers and motors.
- 9. All cable shall be free of tension at both ends. In cases where the cable must bear some stress, Kellem grips shall be used to spread the strain over a longer length of cable.
- 10. Manufacturers minimum bend radius specifications shall be observed in all instances. Care should be taken in the use of cable ties to secure and anchor the station cabling. Ties should not be over tightened as to compress the cable jacket. No sharp burrs should remain where excess length of the cable tie has been cut.
- 11. All vertical cable extensions to devices located below the finished ceiling shall be in conduit.
- C. Contractor shall furnish all required installation tools to facilitate cable pulling without damage to the cable jacket. Such equipment is to include, but not limited to, sheaves, winches, cable reels, cable reel jacks, duct entrance tunnels, pulling tension gauge and similar devices. All equipment shall be of substantial construction to allow steady progress once pulling has begun. Makeshift devices, which may move or wear in a manner to pose a hazard to the cable, shall not be used.
- D. All cable shall be pulled by hand unless installation conditions require mechanical assistance. Where mechanical assistance is used, care shall be taken to insure that the maximum tensile load for the cable as defined by the manufacturer is not exceeded. This may be in the form of continuous monitoring of pulling tension, use of a "break-away" or other approved method.

3.03 LOCAL CODE AUTHORITY SUBMITTALS

- A. This Contractor is responsible for making required submittals to the Madison Fire Department.
- B. Pay any fees required for review.

3.04 MANUFACTURER'S INSTRUCTIONS

A. Compliance: Comply with manufacturer's product data, including product technical bulletins, product catalog installation instructions, and product carton instructions for installation.

3.05 EXAMINATION

A. Site Verification of Conditions: Verify substrate conditions, which have been previously installed under other sections, are acceptable for product installation in accordance with manufacturer's instructions.

END OF SECTION